


# Series 56,703 (1-056-7X3) Foot Mounted, Bearing-Supported Thru-Shaft

[BACK TO TABLE OF CONTENTS](#)



**Static Torque:** 1.5 through 25 lb-ft  
**Enclosure Material:** Die Cast Aluminum  
**IP Rating:** IP 23  
**Enclosure Type:** UL Type 1  
**Release Type:** Side Release Knob

**Universal Mounting:** 1.5 through 15 lb-ft. 20 and 25 lb-ft supplied with springs for vertical modification.

Brake set and release times in milliseconds, when brake and motor are switched separately  
 (for T1/T2 definitions, see page 102):


**Installation, Service and Parts List:**  
 P/N 8-078-905-27

**Specifications:** Page 12

**Modifications:** Pages 55-64

Static Torque lb-ft	Coil Size	Coil Strength	T1	T2
1½ - 25	4	3	25	24

Maximum overhung or side load measured



Dimensions for estimating only. For installation purposes request certified prints.

## Dimensions

Nominal Static Torque		No. of Friction Discs	"B"	"AH"
Lb-Ft	(Nm)			
1.5	(2)	1	4.13	2.69
3	(4)			
6	(8)			
10	(14)	2	4.56	2.25
15	(20)			
20	(27)	3	4.56	2.25
25	(34)			

Nominal Static Torque		Basic Model Number
Lb-Ft	(Nm)	AC
1.5	(2)	1-056-703-00-XX
3	(4)	1-056-713-00-XX
6	(8)	1-056-723-00-XX
10	(14)	1-056-733-00-XX
15	(20)	1-056-743-00-XX
20	(27)	1-056-753-00-XX
25	(34)	1-056-763-00-XX

## Ordering and Identification Information

The following example and tables provide information for selecting the appropriate two-letter suffix when ordering this Stearns Brake.

Example of a complete part number:

1-056-723-00-QC — Right hand leads  
 — 230/460 Vac  
 — Shaft diameter is 7/8"

Example of a complete part number:


1-087-232-00-QC — Right hand leads  
 — 230/460 Vac  
 — Shaft diameter is 1-1/4"

## Standard AC Voltage Ratings

Voltage Character	Coil Type	Wiring Configuration #1		Wiring Configuration #2	
		@60Hz	@50Hz	@60Hz	@50Hz
B	1	115	96	N/A	
D		132	110		
E		200	167		
F		230	192		
H		264	220		
L		456	380		
N		575	479		
O	2	264	220	132	110
P		230	192	115	96
Q		460	383	230	192
R		400	333	200	167

Character	Lead Wire Position
B	Form 2
C	Form 3

### Lead Wire Positions



View facing mounting register on brake.

See page 9 for nominal coil voltage operating range.

\*Current ratings see page 13

Modifications are available - see SAB Modification Section.

# Series 56,000; 56,100; 56,200; 56,300; 56,400; 56,500; 56,600; 56,700; and 56,900 Mounting Face: NEMA 56C, 143TC and 145TC

## Engineering Specifications

Maximum Solenoid Cycle Rate: ① Thermal Capacity: ②  
 AC 36 cycles/min DC Horizontal 9 hp-sec/min (112 watts)  
 10 cycles/min Vertical 6.5 hp-sec/min (80 watts)

- ① Maximum solenoid cycle rate is based on ambient temperature of 72°F (22°C) with 50% duty cycle. Does not relate to brake cycle rate (see Thermal Capacity).
- ② Thermal capacity rating is based on ambient temperature of 72°F (22°C), stop time of one second or less, with no heat absorbed from motor. Refer to Selection Procedure Section.

Brake set and release times in milliseconds, when brake and motor are switched separately (for T1/T2 definitions, see page 101):

Static Torque lb-ft	Coil Size	Coil Strength	T1	T2
1.5 - 25	4	3	25	14

### Series 56,000; 56,100; 56,300; 56,500; and 56,700

Nominal Static Torque lb-ft (Nm)	Number of Friction Discs	Coil Size AC	Coil Strength	Inertia (WK <sup>2</sup> )
				lb-ft <sup>2</sup> (kgm <sup>2</sup> x 10 <sup>-4</sup> )
1.5-3 (2-4)	1	4	3	.008 (3.36)
6 (8)	1	4	3	.008 (3.36)
10 (14)	2	4	3	.014 (5.88)
15 (20)	2	4	3	.014 (5.88)
20 (27)	3	4	3	.020 (8.40)
25 (34)	3	4	3	.020 (8.40)

### Series 56,200; 56,400; 56,600; and 56,900

Nominal Static Torque lb-ft (Nm)	No. of Friction discs	Coil Size AC	Coil Strength	Inertia (WK <sup>2</sup> )
				lb-ft <sup>2</sup> (kgm <sup>2</sup> x 10 <sup>-4</sup> )
3-6 (4-8)	2	4	3	.014 (5.88)
10 (14)	2	4	3	.014 (5.88)
15 (20)	2	4	3	.014 (5.88)
20 (27)	3	4	3	.020 (8.40)
25 (34)	3	4	3	.020 (8.40)


## Current Ratings (amperes)

Solenoid Coil Size*	Coil Strength	AC Current	Voltage: 60 Hz					Voltage: 50 Hz			
			115	200	230	400	460	575	110	220	380
4	3	Inrush Holding	4.6 .4	2.5 .2	2.3 .2	1.2 .1	1.0 .1	.9 .08	4.1 .4	2.0 .2	1.3 .1

## Ordering and Identification Information

The following example and tables provide information for selecting the appropriate three-letter suffix when ordering a Stearns Brake.

Example of a complete part number:



### Hub Selection

Character	Bore (in.)	Keyway** (in. x in.)
A*	5/8	1/8 x 1/16
B	5/8	3/16 x 3/32
C	3/4	3/16 x 3/32
D	7/8	3/16 x 3/32
E	1-1/8	1/4 x 1/8
F*	1-1/4	1/4 x 1/8
K	1/2	1/8 x 1/16
L*	1	1/4 x 1/8
N*	9/16	1/8 x 1/16
O*	11/16	3/16 x 3/32
P*	1-1/16	1/4 x 1/8
R*	13/16	3/16 x 3/32
S*	15/16	1/4 x 1/8
Z	.460	pilot bore

Minimum bore is .500. Maximum allowable bore is 1.25 (maximum shaft length not to exceed end of hub). For through-shaft applications, .875 is maximum

\*These bores are non-standard.

\*\*Keyseats made to ANSI B17.1 Standard.

## Motor Frame Adapters: Series 56,000 through 56,600

**WARNING!** Before selecting an adapter to mount a brake on a larger motor frame, the torque and thermal capacity required by the application should be determined as shown in the "Selection Procedure" section. A larger motor may indicate a requirement for greater thermal capacity than the brake is designed for. The brake selection must be matched to the motor and application requirements, before use of an adapter is considered.

To Adapt to NEMA Frame Size	AK Dim.	Reg. No.	Brake Enclosure ①	Brake Torque	Adapter Stock Number	Additional Shaft Length Required
	in. (mm)					in. (mm)
182TC 184TC 213TC 215TC 254TC 256TC	8.50 (215.90)	-9	IP 23	1.5-15	5-55-5041-00	.94 (23.81)
	8.50 (215.90)	-9	IP 56	1.5-6	5-55-5041-00	.94 (23.81)
	8.50 (215.90)	-9	IP 23	20 & 25	5-55-5043-00	.94 (23.81)
	8.50 (215.90)	-9	IP 56	10-25	5-55-5043-00	.94 (23.81)

## Standard AC Voltage Ratings

Voltage Character	Coil Type	Wiring Configuration #1		Wiring Configuration #2			
		@60Hz	@50Hz	@60Hz	@50Hz		
B	1	115	96	N/A			
D		132	110				
E		200	167				
F		230	192				
H		264	220				
L		456	380				
N	575	479	N/A				
O	2	264			220	132	110
P		230			192	115	96
Q		460			383	230	192
R		400			333	200	167

Modifications are available - see SAB Modification Section.

See page 9 for nominal coil voltage operating range.

① 56,300 Series have UL Type 1 enclosure. For adapter dimensions, see Technical Data.

# SELECTION - Solenoid Actuated Brakes

**NOTE:** For overhauling/high inertia loads, to stop in a specified time/distance, or for brakes combined with variable frequency drives, please refer to *Application Engineering Section*.

Stearns Solenoid Actuated Brakes can be easily selected from Table 1 and 2.

Given motor data:

1. Horsepower (hp)
2. Speed (RPM)
3. NEMA C-face frame size

Determine:

1. Static torque rating of the brake (lb-ft)
2. Brake series

**Step 1** – Given the motor horsepower and speed, select the brake torque from Table 1. Torque in table 1 is calculated using formula:

$$T_s = \frac{5,252 \times P}{N} \times SF$$

Where,  $T_s$  = Static torque, lb-ft

$P$  = Motor horsepower, hp

$N$  = Motor full load speed, rpm

SF = Service Factor

5,252 = constant

*Example:* Given a 5 hp, 1800 RPM motor, the selected brake is 20 or 25 lb-ft.

**Step 2** – Given the NEMA C-face motor frame size, select the brake series from Table 2.

*Example:* Given the 5 hp, 1800 RPM motor in Step 1 with a NEMA 184TC frame, Series 87,000; 87,300 or 87,700 Brakes can be selected to mount directly to the motor.

**Table 1 – Torque Selection**

In this table, brake torque ratings are no less than 140% of the motor full load torque.

Motor hp	Brakemotor Shaft Speed (RPM)						
	700	900	1200	1500	1800	3000	3600
	Static Torque Rating of Brake (lb-ft)						
1/6	3	1.5	1.5	1.5	0.75	0.5	0.5
1/4	3	3	3	1.5	1.5	0.75	0.5
1/3	6	3	3	3	1.5	1.5	0.75
1/2	6	6	3	3	3	1.5	1.5
3/4	10	6	6	6	6	3	3
1	15	10	6	6	6	3	3
1-1/2	20	15	10	10	10	6	3
2	25	20	15	10	10	6	6
3	35	25	20	15	15	10	6
5	75	50	35	25	20 or 25	15	10
7-1/2	105	75	50	50	35	25	15
10	105	105	75	50	50	25	25
15	175	125	105	75	75	50	35
20	230	175	125	105	105	50	50
25	330	230	175	125	105	75	50
30	330	330	230	175	125	75	75
40	440	330	330	230	175	105	105
50	550	440	330	330	230	*	*
60	750	500	440	330	330	*	*
75	1000	750	500	440	330	*	*
100	—	1000	1000	500	440	*	*
125	—	—	1000	750	500	*	*
150	—	—	—	750	750	*	*
200	—	—	—	1000	1000	*	*
250	—	—	—	—	1000	*	*

\*See catalog pages for maximum rpm by series. Thermal capacity must be considered in load stops over 1800 rpm.

**Table 2 – Brake Series Selection by NEMA Frame Size**

Torque Range (lb-ft)	Brake Series	C-Face Motor Frame Size											
		48C	56C	143TC 145TC	182TC 184TC	213TC 215TC	254TC 254UC 256TC 256UC	284TC 284UC 286TC 286UC	324TC 324UC 326TC 326UC	364TC 364UC 365TC 365UC	404TC 404UC 405TC 405UC	444TC 444UC 445TC 445UC	504UC 504SC 505C 505SC
<b>Manually-Adjusted Brakes (require periodic adjustment to compensate for friction disc wear)</b>													
1.5-6 1.5-25 10-25	48,100 56,000 56,500	①	①	①	② ①	②	②						
<b>Self-Adjusting Brakes (automatically compensate for friction disc wear)</b>													
6-105 50-105 125-230 125-440 500-1000 500-1000	87,000 87,100 81,000 82,000 86,000 86,100		③	③	① ②	① ②	① ②	② ②	② ① ①	② ① ②	② ① ②	② ① ①	① ② ①
<b>Division 1 Hazardous Location Brakes (for atmospheres containing explosive gases or ignitable dusts) / Motor Mounted</b>													
1.5-15 10-105 125-330	65,300 87,300 82,300		①	①	② ① ②	② ① ②	② ① ②	② ② ②	② ② ①	② ② ①	② ② ①	② ② ②	
<b>Division 1 Hazardous Location Brakes (for atmospheres containing explosive gases or ignitable dusts) / Foot Mounted</b>													
10-105 125-330	87,300 82,300				④	④	④		④	④	④		
<b>Division 2 Hazardous Location Brakes</b>													
1.5-25 6-105	56,800 87,800		① ③	① ③	② ①	② ①	② ①	② ②	② ②	② ②	② ②	② ②	
<b>Double C-Face Brake Couplers (for direct coupling a C-face motor to a C-face gear reducer)</b>													
1.5-25 10-105	56,700 87,700		①	①	①	①	①						

- ① Brake mounts directly to motor C-face.
- ② Adapter required to mount brake to motor C-face. Refer to brake specifications for adapter information.
- ③ Brake endplate modified for direct mounting to motor C-face without an adapter.
- ④ Brake is foot mounted for coupling to a hazardous-location motor.

**Table 3 – Nominal Coil Voltage Operating Range**

Each coil is designed to operate at +/- 10% of its nominal voltage rating, so there is an acceptable range of voltages that would work for each individual coil. Any coil can be operated at 60Hz or 50Hz if the voltage applied is adjusted accordingly. For instance, an “M” coil can be operated anywhere between 448-548VAC at 60Hz or between 373-457VAC at 50Hz. Applying a voltage above or below this range can cause the brake to overheat or not release. If you’re running at the higher end of the voltage range, it’s recommended to use the next standard of coil to prevent overheating and possible brake failure.

SAB Coil Voltage Chart													
Voltage Character	Coil Type	Nominal Voltage				Operating Voltage							
		Wiring Configuration #1		Wiring Configuration #2		Wiring Configuration #1				Wiring Configuration #2			
		@60Hz	@50Hz	@60Hz	@50Hz	@60Hz		@50Hz		@60Hz		@50Hz	
						Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.
A	1 (Single Voltage)	<b>100</b>	83	N/A	N/A	90	110	74	92	N/A	N/A	N/A	N/A
B		<b>115</b>	95			103	127	85	105				
D		132	<b>110</b>			118	146	99	121				
E		<b>200</b>	165			180	220	148	182				
F		<b>230</b>	190			207	253	171	209				
H		264	<b>220</b>			237	291	198	242				
I		<b>330</b>	275			297	363	247	303				
J		<b>380</b>	317			342	418	285	349				
K		<b>400</b>	330			360	440	297	363				
L		<b>460</b>	380			414	506	342	418				
M		498	<b>415</b>			448	548	373	457				
N		<b>575</b>	480			517	600	432	528				
O	2 (Dual Voltage)	264	<b>220</b>	132	<b>110</b>	237	291	198	242	118	146	99	121
P		<b>230</b>	190	<b>115</b>	95	207	253	171	209	103	127	85	105
Q		<b>460</b>	380	<b>230</b>	190	414	506	342	418	207	253	171	209
R		<b>400</b>	330	<b>200</b>	165	360	440	297	363	180	220	148	182
S		<b>575</b>	480	<b>287</b>	240	517	600	432	528	258	316	216	264

\*Bold text is the more common voltage/frequency combination.

# Information Needed for Modifications

Stearns is dedicated to providing you with the most comprehensive selection of modified spring-set disc brakes on the market today. We have included a list of our more popular modifications complete with descriptions, pictures and graphics when applicable and list price adders along with their representative series. Note that modification list prices are subject to the same discounts as apply to the complete brake assembly.

Below please find examples of how the modifications are called out with a letter in the 8th position of the 12 digit model number. Note that these listings are not complete, but represent our more popular selections. For any special applications and modification requirements not found here, please contact your Stearns representative.

**IMPORTANT** – The modification letter will appear in the 8th position to call out the modification.

Examples:

1-056-XXX- X  
└── 8th position

1-087-XXX- X  
└── 8th position

1-08X-XXX- X  
└── 8th position

See specific tables for some of the available options of the series required.

If two or more letter modifications are required, the 8th position of the part number will remain zero and position 10, 11 and 12 will be assigned by Stearns as a special part number.

## All Series

Modification	Letter
Vertical Mounting - Above Motor	A
Space Heater (115 Volt Circuit)	I
Space Heater (115 Volt Circuit), Brass Pressure Plate and Stationary Disc	J
Brass Pressure Plate and Stationary Disc	K
Vertical Mounting - Below Motor	L
Thru-Shaft Housing (Standard)	Q
Electrical Release Indicator Switch, N.O. contacts	W
Side Manual Release with Shaft Through Housing Stamped Steel	Z
<b>Series 87,X00 Only</b>	
Vertical Mounting - Above Motor, Brass Pressure Plate and Stationary Disc	N
<b>Series 81,X00, 82,X00 87,000 and 87,100</b>	
Side Manual Release	Y


# Solenoid Actuated Brakes Modification Index

Category	Description	Modification Number (M___)	Page
Coils	Non-Standard Voltage AC	M25	61
	Special Leadwire Length	M31	62
Corrosion Resistance	Brass Pressure Plate	M3	56
	Brass Stationary Disc	M4	56
	Breather Drain	M5	57
	Space Heater (115 or 230 volt)	M13	58
	Special Paint	M14	59
	Stainless Steel Self-Adjust	M15	59
	Stainless Steel Hardware	M16	59
	Corrosion-Resistant Endplate	M39	63
	Stainless Steel Hub	M42	63
Endplates	Special Internal Leadwire Hole	M35	62
	Corrosion-Resistant Endplate	M39	63
	Special Milling: Flat Bottom on Housing & Endplate	M40	63
Friction Discs	Special Material Friction Disc	M44	64
	Carrier Ring Disc (Steel or Zinc Aluminum)	M46	64
	Carrier Ring Disc (Bronze)	M47	64
Gaskets	Motor Gasket	M38	63
	Viton® Gasket	M43	64
Hubs/ Brake Shaft	Non-Standard Bore or Keyway	M11	58
	Special Shaft - Coupler Brakes	M29	61
	Taper-Lock Hubs	M30	62
	Stainless Steel Hub	M42	63
	Splined Hub and Friction Disc	M45	64
Machining Options	Encoder/Tach Machining	M7	57
	Metric Machining	M33	62
	Special Milling: Flat Bottom on Housing & Endplate	M40	63
Manual Adjust	Manual Adjust for 87,000 Series	M48	64
Manual Release	Side Manual Release	M12	58
	Non-Maintained (Deadman)	M32	62
	Internal Release	M37	63
Mounting	Vertical	M21, M23, M24	60-61
	Metric Machining	M33	62
	Motor Frame Adapters		97
	Foot Mounting Kits		99
Nameplates	Mylar or Metal	M10	58
	Brass Nameplate	M41	63
Paint/ Special Finish or Material	Brass Pressure Plate	M3	56
	Brass Stationary Disc	M4	56
	Special Paint	M14	59
	Stainless Self-Adjust	M15	59
	Stainless Steel Hardware	M16	59
	Corrosion-Resistant Endplate	M39	63
	Stainless Steel Hub	M42	63
Special Housing	Thru-Shaft	M19	60
	Thru-Shaft with Lip Seal	M20	60
	Split Housing	M36	63
Switches	Electrical Release Indicator	M1	56
	Electrical Release Indicator Proximity Switch	M2	56
	Thermal Switch	M18	59
	Wear Indicator	M27	61
Tach Mounting	Tach Machining	M7	57
	Thru-Shaft	M19	60
	Thru-Shaft with Lip Seal	M20	60
Torque Derating	Brass Pressure Plate	M3	56
	Brass Stationary Disc	M4	56
	Special Derating of Torque	M34	62
Wiring Options	Conduit Box with Terminal Strip	M8	57
	Terminal Strip	M17	59
	Special Length Leadwires	M31	62
	Internal Leadwire Hole	M35	62

# M1 Electrical Release Indicator Switch

This switch is used to indicate when the brake is in a released, non-holding position. This mechanism utilizes a mechanical limit switch.

Applicable Series
56,X00
81,000; 82,000; 87,X00
86,X00



56,000 Series


87,000 Series  
(also representative of  
81,000; 82,000  
and 86,000 Series)

Not available on 56,800, 65,300 or 87,800 Series Brakes.

# M2 Electrical Release Indicator Proximity Switch

Same function as the switch in M1 above; except, M2 uses an electronic proximity sensor.

Applicable Series
81,000
82,000
87,X00
86,X00



Not available on 56,800 or 87,800 Series Brakes.

# M3 Brass Pressure Plate

Typically used in marine applications or in applications where the potential for sparks need to be eliminated. Brass can also be used to reduce torque.

Applicable Series
56,X00
65,X00
81,000; 82,000
86,X00
87,X00*




\*(N/A for 1-087-19X-00 125 lb-ft brake)

# M4 Brass Stationary Discs

Used with brass pressure plate (List per disc).

Applicable Series
56,X00
65,X00
87,X00*
81,000; 82,000
86,X00



\*(N/A for 1-087-19X-00 125 lb-ft brake)

## M5 Breather Drain

A drain plug is tapped into the bottom of the housing to let moisture escape. This option is only available on brakes with cast aluminum or cast iron housings.

Applicable Series
56,X00
65,X00
81,000 82,000 86,X00 87,X00



## M7 Housing Machining for Encoder/Tach Mounting

**Standard Machining:** The housing is machined for a thru shaft, and to allow for an encoder or tach to be mounted. This option is only available on brakes with cast aluminum or cast iron housings. Consult factory for availability.

**Close tolerance:** The housing and endplate are assembled and dowel pinned together - then machined as a matched set for a through shaft and encoder mounting. This option is only available on brakes with cast aluminum or cast iron housings. This option is recommended for Series 81,000; 82,000; and 86,X00 due to the long distance between the motor and encoder.

**Tether Mount:** The housing is machined for a through shaft, and a single tapped hole for a bolt to secure a tether arm. (56,X has a through hole and tach-welded nut on inside of housing, instead of a tapped hole).

Applicable Series	Close Tolerance
	Bolt Circle & Register
	Maximum Thru-Shaft Dia. (inch)
56,X00 (except N/A for 56,800)	
87,000 - 87,100	1.63
87,M00 - 87,500 - 87,600	
81,000 - 82,000 <sup>1</sup>	2.5
86,000	

**Open Enclosure** - Referred to on the product pages in the catalog as IP23

**Enclosed** - Referred to on the product pages as IP56 (these ratings no longer apply when the housing is machined for this modification - the customer is responsible for meeting any specific enclosure rating when assembling the encoder).

\* M7 Modification for Series 81,000 and 82,000 will also require the M12 Modification; the side manual release.



## M8 Conduit Box with Terminal Strip

A terminal strip is located inside the conduit box. It allows for easy connection and identification of lead wires.

Applicable Series
All series except hazardous location (not available for the 48,100 series)
All hazardous location brakes



## M10 Nameplates

To order new brake nameplates, the serial number of the brake is required. A loose nameplate shipped from Stearns Division without being attached to a brake must have all agency markings removed (UL, etc.). In order to have a brake renameplated with the appropriate agency markings, it must be returned to Stearns Division for product verification.

## M11 Nonstandard Hub or Keyway

For standard bore diameter and keyway specifications, see specific brake selection page.  
For taper bores, consult factory.

## M12 Side Manual Release

Side release not available on the 1-065-300 or the 1-086-000

Applicable Series Sheet Metal Housing (IP 23 Only)
56,000; 56,400; 56,500
87,000; 87,100

Applicable Series Cast Iron Housing
87,000 IP 23
87,000 IP 54
81,000
82,000




## M13 Space Heater (115 or 230 Volt Only)

A space heater cartridge is used to prevent moisture build-up inside the brake housing.

Applicable Series	Wattage
56,X00*	15
81,000; 82,000; 86,X00	50 and 75
87,X00**	25 to 30
Hazardous Duty Brakes	25 to 50

\*Not available on 1-056-800 Series Brakes

\*\*Not available in 87,800 Class I



56,000 Series



87,000 Series (also representative of 81,000; 82,000 & 86,000 Series)



## M14 Special Paint

The standard paint for all brake series (except UL Type 4x & Maritime/Navy) is a red, water-base primer, painted inside and out.

For additional corrosion protection, a special (green) zinc chromate primer can be provided (painted inside and out) in place of the standard red primer. Consult factory for pricing.

Other Special Paint options are available - either primers, a white epoxy finish coat, or clean finish (exterior primer removed). Consult factory for pricing.

Maritime and Navy brakes have their own specified paints, with pricing included in the standard list prices.


Applicable Series
56,X00
65,X00
81,000; 82,000; 86,X00
87,000



## M15 Stainless Steel Self-Adjust Mechanism

For severe duty applications. This option includes a stainless steel pinion and plated wrap spring in the auto-adjust mechanism. It is only available on the 81,000; 82,000; 86,000 and 87,000 Series Brakes

Applicable Series
81,000; 82,000; 87,X00*
86,X00



\* Stainless steel self-adjust is standard on series 87, 600

## M16 Stainless Steel Hardware


All external hardware is provided in stainless steel.

Applicable Series
48,100
56,X00, 87,X00
81,000, 82,000 86,000


## M17 Terminal Strip

A terminal strip is located in the inside of the brake, on the support plate. It allows for easy connection and identification of lead wires.

Applicable Series
All



56,000 Series



87,000 Series (also representative of 81,000; 82,000 & 86,000 Series)

## M18

This switch is used to indicate when a brake is overheating. Thermostats are standard in 8X,300 and 65,X00 Series. This option is for NON-UL brakes only.

Applicable Series	Switch Operation Specifications
87,X00	Normally Closed: Opens at 295°F, Closes at 255°F
1,000, 82,000 86,X00	Normally Closed: Opens at 210°F, Closes at 180°F
56,X00	Normally Closed: Opens at 195°F, Closes at 175°F



# M19 Through-Shaft Enclosure

This configuration allows for the motor shaft to extend beyond the housing of the brake.

This modification lowers the brake enclosure rating to IP21.

Applicable Series
56,000, 56,400
56,100, 56,200
56,600
81,000, 82,000
86,000
87,000, 87,100 sheet metal*
87,000, 87,100 with cast iron housing



\*Up to 1-5/16".  
Above 1-5/16", contact factory for pricing

# M20 Through-Shaft Cast Iron Enclosure with Lip Seal

This configuration allows the motor shaft to extend beyond the housing of the brake with a bushing to use with a housing lip seal.


Applicable Series
56,100, 56,200 56,600
81,000, 82,000
86,000
87,000, 87,100



# M21 Vertical Mounting for 56,000 Series & 65,300 Series

The 56,000 20 and 25 lb-ft Series Brakes are shipped with spring kits. Vertical modification at 15° from horizontal. Read installation and service instructions for details on its use.

Factory assembly for three disc configuration - Contact factory for pricing.



Example of 56,000 Series spring requirements for vertical above and below mounting.

# M23 Vertical Mounting for 87,X00 Series


For factory modification to vertical above or below application. Vertical modification at 15° from horizontal.

## Series 87,000 & 87,100

Torque Value (lb-ft)	IP 23 & IP 56 steel hsg Above	IP 23 & IP 56 steel hsg Below	IP 56 cast iron Above	IP 56 cast iron Below
6, 10, 15, 25 & 35	Contact factory for pricing			
50 & 75	Contact factory for pricing			
105	Contact factory for pricing			

## Series 87,300; 87,800; 87,700

Torque Value (lb-ft)	Vertical Above	Vertical Below
6, 10, 15, 25 & 35	Contact factory for pricing	
50 & 75	Contact factory for pricing	
105	Contact factory for pricing	




Example of 87,000 Series spring requirements for vertical above mounting.

## M24 Vertical Mounting for 81,000; 82,000 and 86,000 Series

These brakes require factory modifications for vertical applications. Vertical modification at 15° from horizontal.

Applicable Series	Torque Value (lb-ft)
81,000 & 82,X00	125 & 175
81,000 & 82,X00	230
82,X00	330
82,X00	440
86,000	500 & 750




Example of 81,000 Series pin, spring and spacer requirements for vertical above mounting.

## M25 Voltage Non-Standard (AC)

For standard voltage listing, see the ordering information section for the specific brake.

Applicable Series
48,100
65,X00
56,000
81,000; 82,X00
86,X00
87,X00




## M27 Wear Indicator (Friction Disc) Switch


A mechanical switch is installed to indicate when the friction disc requires replacement.

Applicable Series
81,000; 82,X00
86,000
87,X00*

\*Switch supplied with leads  
(Switches N/A on Series 87,800)



87,000 Assembly



87,000 Assembly

## M29 Special Shaft-Coupler Brake and Foot Mount Brake

Any non-standard input or output shaft on a 56,700, 87,200 or 87,700 Series Brake.


Applicable Series
56,700
87,200; 87,700



## M30 Taper-Lock Hubs

For use in severe duty applications and reversing application to secure the brake hub to the motor shaft.

Series	Lb. Ft.
87,000; 87,100 IP 23 only	10 to 35 lb-ft
	50 to 75 lb-ft
	105 lb-ft
81,000	125 & 175 lb-ft
	230 lb-ft
82,000	125 & 175 lb-ft
	230 & 330 lb-ft
	440 lb-ft



## M31 Special Length Lead Wires

Length	Series
Up to 5'	All
Over 5'	All

## M32 Non-Maintained (Deadman) Manual Release

The brake is mechanically released while the release is pulled into a release position. Once released, the brake sets.

Applicable Series*
56,200, 56,700, 56,800 & 56,900
56,000, 56,400 & 56,500
81,000; 82,000 & 87,000
86,000

\*N/A on 56,300.  
Standard on 56,100 and 56,600.



## M33 Metric Machining Including Cast Iron Endplate

Stearns SAB's can be used with metric motor frames. The following table indicates standard frame capabilities for an IEC B14 Face mount.

Applicable Series	IEC Frame Sizes
56,200; 56,400; 56,600 & 56,900	B14 flange in sizes 80; 90 & 100 B5 flange in sizes D63 & D71
56,500	B14 flange in sizes 112; 132 & 160 B5 flange in sizes D71; D80; D90; D100 & D112
87,000	B14 flange in sizes 112; 132 & 160 B5 flange in sizes D71; D80; D90; D100 & D112

## M34 Derating of Torque

Stearns industrial SAB's can be custom built to meet your specific torque requirements.

Applicable Series	Torque Value (lb-ft)
56,500	6 lb-ft
87,100	20 or 30 lb-ft
81,000 & 82,000	To be approved with application engineering

## M35 Special Internal Lead Wire Hole with Bushing

Any non-standard, internal lead wire hole in the endplate.


Applicable Series*
All brakes except hazardous location brakes



## M36 Housing Split

SAB's can be provided with a split housing.

Applicable Series
81,000; 82,000 & 86,000
81,000; 82,000 & 86,000 gasketed
87,000; 87,100 sheet metal
87,000; 87,100 cast iron gasketed



## M37 Internal Release

An internal manual release requires that the housing be removed before the brake can be released by hand.

*\*N/A for hazardous location brakes*

Applicable Series
87,0XX; 81,0XX; 82,0XX; 86,0XX

## M38 Motor Gasket

The brake is provided with an additional C-Face gasket to be placed between the brake and motor.


Applicable Series*
81,000; 82,000; 86,000
56,X00 & 87,000

*\*N/A for hazardous location brakes*

## M39 Corrosion-Resistant Endplate

Rust preventative treatment applied to brake endplate.

Applicable Series
56,200, 56,400, 56,500, 56,800 & 65,300
81,000; 82,X00 & 86,000
87,X00



## M40 Special Milling: Flat Bottom on Housing & Endplate

This modification is provided in the event the flange between the endplate and housing interfere with the mounting configuration.


Applicable Series
81,000; 82,000 & 86,000



## M41 Brass Nameplate with Special Engraving

Brass nameplates offer greater durability in outdoor applications.

Applicable Series
81,000; 82,000 & 86,000



MODEL NUMBER will appear on brake nameplate.

SERIAL NUMBER

## M42 Stainless Splined Hub

Stainless steel splined hubs are available for extreme outdoor applications, to prevent corrosion on the disc and hub interface.

Applicable Series
81,000; 82,000 & 86,000
87,000



## M43 Viton® Gasket

Gaskets and o-rings in brakes can be provided in Viton® (flourocarbon) material, in place of the standard neoprene. However, the V-wiper steel-backed seals that are used on pull rod manual releases are not available in Viton® and remain as neoprene.

Viton® is a registered trademark name of DuPont.

Applicable Series
81,000; 82,000; 86,000
87,000*
56,000

\*Viton® gaskets and o-rings are standard for 87,X00 series, except for hazardous location brakes where Viton® seals are N/A.


\*\*Except series 56,200; 56,700; & 56,900 - where Viton gaskets are standard.

## M44 Special Friction Disc (per Disc)

Any non-standard friction disc in a brake.  
Cost is per disc.

Non-standard discs include: hi-inertia friction discs and heavy duty friction discs. Does not include carrier ring friction discs (see M46 and M47).

Applicable Series
87,000*
56,000



## M45 Splined Hub and Friction Disc

Standard on most models. Used for severe duty and reversing applications.

Applicable Series
87,300

Applicable Series	Torque (lb-ft)
87,X00*	6-35 lb-ft
	50 & 75 lb-ft
	105 lb-ft

\* Spline is standard on this series.

## M46 Carrier Ring Friction Disc

The friction material is bonded to a steel or zinc/aluminum alloy ring.

This is used for severe duty applications and applications where people are being moved.

Applicable Series	Carrier ring material
Horizontal Use Only	
81,000	Steel
82,000	Steel
Horizontal or Vertical Use	
87,X00** (not available on 87,300 or 87,800 series)	Zinc aluminum alloy




## M47 Carrier Ring Friction Disc (Bronze)

The friction material is bonded to a bronze ring. This is used for severe duty applications and applications where people are being moved.

Horizontal applications only

\*\* Only available with pre-revision design, 24-tooth splined hub, which is included in this price


Applicable Series
81,000
82,000
86,000
87,X00** 6-35 lb-ft 50 & 75 lb-ft 105 lb-ft



## M48 1,08X,000 Series Manual Adjust Mechanism

Excellent for holding applications when disc wear is not a concern. (Not available on hazardous location brakes.)


Applicable Series
87,000
81,000
82,000
86,000



## M60 Encoders

Internally mounted encoders are available in some series brakes, including some hazardous location brakes. See pages 53-54 for series availability and additional information.

Maximum Encoder Diameter (in.)	
1-056	N/A
1-087-E00	2.0"
1-081 & 1-082	2.5"
1-086	3.5"



# Technical Data


## SAB Motor Frame Adapter Dimensions

### Selection

To select an adapter for a specific brake, refer to the *Motor Frame Adapter Tables* as shown in the brake series sections of this Catalog. After selecting the adapter stock number, refer to the Tables below for dimensions.

All adapters are constructed with an opening for internal lead wire connection, corresponding to the NEMA standard location for the motor frame size.

Screws for mounting adapter to motor must be provided by customer. Socket head cap screws are supplied for mounting brake to adapter.




Dimensions for estimating only. For installation purposes, request certified prints.

Brake Series	Torque (lb-ft)	Adapter Stock Number	Dimensions in Inches (Dimensions in Millimeters)											Add'l Shaft Length Req'd			
			A	AH	AJ	AK	AL	B	BF	BK Hole	D	F	L				
56,000	1.5 - 6	5-55-5041-00				8.500	4.497										
65,300*		5-55-5046-00	1.25 (31.75)	5.88 (149.22)	7.25 (184.15)	8.502 (215.900) (215.951)	4.500 (114.325) (114.275)	9.00 (228.60)	.50 (12.70)	3/8 - 16 x 1/2 deep	4.00 (101.60)	.19 (4.76)	.12 (3.18)	.94 (23.88)			
56,000 and 56,800*	10 - 25	5-55-5043-00															
87,000 and 87,800*	6 - 105	5-55-7046-00	1.06 (26.99)		11.00 (279.40)	12.501 (317.525) (317.602)	8.499 (215.875) (215.849)	13.00 (330.20)	.62 (15.88)		4.12 (104.78)		.38 (9.52)	.87 (22.10)			
87,300		5-55-7054-00		7.25 (184.15)						1/2 - 13 through		.19 (4.76)					
87,000 and 87,800*	6 - 105	5-55-7055-00	1.00 (25.40)		9.00 (228.60)	10.500 (266.700) (266.751)	8.499 (215.875) (215.849)	11.00 (279.40)	**		6.25 (158.75)		.25 (6.35)	.81 (20.57)			
87,300*		5-55-7045-00															
87,000, 87,800* and 87,300*	6 - 105	5-55-7043-00	.75 (19.05)	7.25 (184.15)	5.88 (149.35)	4.502 (114.35) (114.48)	8.499 (215.875) (215.849)	8.75 (222.25)	.62 (15.75)	1/2 - 13 through	4.00 (101.60)	.19 (4.76)	.25 (6.35)	.56 (14.23)			
81,000	125 - 130	5-55-2045-00	1.06 (26.99)	11.00 (279.40)	14.00 (355.60)	16.002 (406.451) (406.527)	12.499 (317.475) (317.398)	16.50 (419.10)	.62 (15.88)	5/8 - 11 through	9.75 (247.65)	.19 (4.76)	.25 (6.35)	.87 (22.10)			
81,000	125 - 230	5-55-2041-00			7.25 (184.15)	8.500 (215.900) (215.951)	12.499 (317.475) (317.398)	12.499 (317.475) (317.398)	.50 (12.70)	5/8 - 11 through	6.00 (152.40)		.19 (4.76)	.93 (23.62)			
81,000		5-55-2043-00	1.12 (28.58)	11.00 (279.40)	9.00 (228.60)	10.500 (266.700) (266.751)					7.75 (196.85)			.93 (23.62)			
82,000 and 82,300*	125 - 440	5-55-2046-00	1.94 (49.21)		14.00 (355.60)	16.002 (406.451) (406.527)		16.50 (419.10)	.62 (15.88)	5/8 - 11 x 1 deep	9.50 (241.30)			1.75 (44.45)			
82,000 and 82,300*		5-55-2042-00	1.38 (34.92)	11.00 (279.40)	7.25 (184.15)	8.500 (215.900) (215.951)	12.499 (317.475) (317.398)	13.25 (336.55)	.50 (12.70)	5/8 - 11 through	6.00 (152.40)	.19 (4.76)	.25 (6.35)	1.19 (30.23)			
82,000 and 82,300*		5-55-2044	1.38 (34.92)		9.00 (228.60)	10.500 (266.700) (266.751)		13.25 (336.55)			7.75 (196.85)			1.19 (30.23)			
86,000	500 - 1000	5-55-6041-00	1.56 (38.69)	14.00 (355.60)	11.00 (279.40)	12.500 (317.500) (317.602)	16.000 (406.400) (406.273)	16.19 (411.16)	.62 (15.88)	5/8 - 11 x 3/4 deep	8.62 (219.08)	.19 (4.76)	.25 (6.35)	1.37 (34.80)			

\* 1/2-13 flat head screws are supplied with adapter.

\*\* When adding an adapter to a hazardous location brake, refer to the "mounting requirements" on the product page for the recommended brake series for accommodating adapters.



Kits include the foot mounting bracket and hardware to fit the BF mounting holes.

*Dimensions for estimating only. For installation purposes, request certified prints.*

Brake Series	Torque	Foot Mounting Kit Number	Dimensions in Inches (Dimensions in Millimeters)																	Wgt lbs.	
			A	AJ	AK	B	BB	BF		C	D	E	FA	FB	G	H	J	K	L		M
								No.	Thd.												
56,000	1.5-25	5-55-5023-00	7.00 (177.80)	5.88 (149.22)	$\frac{4.499}{4.498}$ ( $\frac{114.275}{114.249}$ )	2.38 (60.32)	.12 (3.18)	2	3/8-16	6.50 (165.10)	3.50 (88.90)	2.88 (73.02)	1.50 (38.10)	-	.38 (9.52)	.41 (10.32)	1.50 (38.10)	.50 (12.70)	2.50 (63.50)	2	4.5
87,000	6-125	5-55-7021-00	8.62 (219.08)	7.25 (184.15)	$\frac{8.499}{8.498}$ ( $\frac{215.875}{215.849}$ )	3.00 (76.20)	.25 (6.35)	4	1/2-13	8.62 (218.95)	5.00 (127.00)	3.56 (90.49)	2.00 (50.80)	-	.38 (9.52)	.53 (13.49)	1.62 (41.28)	.56 (14.29)	5.75 (146.05)	2	7
81,000	125-230	5-55-2022-00	15.50 (393.70)	11.00 (279.40)	$\frac{12.499}{12.498}$ ( $\frac{317.475}{317.449}$ )	7.00 (177.80)	.25 (6.35)	4	5/8-11	13.25 (336.55)	8.50 (215.90)	6.88 (174.62)	2.00 (50.80)	4.00 (101.60)	.62 (15.88)	.69 (17.46)	3.00 (76.20)	.88 (22.22)	9.00 (228.60)	4	40
82,000	125-550		18.25 (463.55)	14.00 (355.60)	$\frac{16.000}{15.995}$ ( $\frac{406.400}{406.273}$ )	8.00 (203.20)	.22 (5.56)	4	5/8-11	17.00 (431.80)	10.88 (276.22)	6.38 (161.92)	3.38 (85.72)	3.00 (76.20)	1.00 (25.40)	.81 (20.64)	4.12 (104.78)	1.22 (30.96)	8.50 (215.90)	4	75




# Dimensions for C-Face Brake Motor Systems

[BACK TO TABLE OF CONTENTS](#)

## Brakes Externally Wired to Motor

C-face motor with double shaft extension.

Stearns Disc Brakes are designed to mount on standard C-face motors having the same dimensions and tolerances on the accessory end as on the drive end. They also mount on foot mounting brackets and machine mounting faces having the same mounting dimensions and tolerances. Some motor accessory end C-face may differ from the drive end.



## Drive End Dimensions (Inches)

Frame Designation	AJ	AK	BB Min.	BF Hole			U	AH	Keyseat			Base to Centerline D
				Number	Tap Size	Bolt Penetration Allowance			R	ES Min.	S	
42C	3.750	3.000	0.16	4	1/4-20	...	0.375	1.312	0.328	...	flat	2.62
48C	3.750	3.000	0.16	4	1/4-20	...	0.500	1.69	0.453	...	flat	3.00
56C	5.875	4.500	0.16	4	3/8-16	...	0.625	2.06	0.517	1.41	0.188	3.50
143TC and 145TC	5.875	4.500	0.16	4	3/8-16	0.56	0.875	2.12	0.771	1.41	0.188	3.50
182TC and 184TC	7.250	8.500	0.25	4	1/2-13	0.75	1.125	2.62	0.986	1.78	0.250	4.50
182TCH and 184TCH	5.875	4.500	0.16	4	3/8-16	0.56	1.125	2.62	0.986	1.78	0.250	4.50
213TC and 215TC	7.250	8.500	0.25	4	1/2-13	0.75	1.375	3.12	1.201	2.41	0.312	5.25
254TC and 256TC	7.250	8.500	0.25	4	1/2-13	0.75	1.625	3.75	1.416	2.91	0.375	6.25
284TC and 286TC	9.000	10.500	0.25	4	1/2-13	0.75	1.875	4.38	1.591	3.28	0.500	7.00
284TSC and 286TSC	9.000	10.500	0.25	4	1/2-13	0.75	1.625	3.00	1.416	1.91	0.375	7.00
324TC and 326TC	11.000	12.500	0.25	4	5/8-11	0.94	2.125	5.00	1.845	3.91	0.500	8.00
324TSC and 326TSC	11.000	12.500	0.25	4	5/8-11	0.94	1.875	3.50	1.591	2.03	0.500	8.00
364TC and 365TC	11.000	12.500	0.25	8	5/8-11	0.94	2.375	5.62	2.021	4.28	0.625	9.00
364TSC and 365TSC	11.000	12.500	0.25	8	5/8-11	0.94	1.875	3.50	1.591	2.03	0.500	9.00
404TC and 405TC	11.000	12.500	0.25	8	5/8-11	0.94	2.875	7.00	2.450	5.65	0.750	10.00
404TSC and 405TSC	11.000	12.500	0.25	8	5/8-11	0.94	2.125	4.00	1.845	2.78	0.500	10.00
444TC and 445TC	14.000	16.000	0.25	8	5/8-11	0.94	3.375	8.25	2.880	6.91	0.875	11.00
444TSC and 445TSC	14.000	16.000	0.25	8	5/8-11	0.94	2.375	4.50	2.021	3.03	0.625	11.00
500 Frame Series	14.500	16.500	0.25	4	5/8-11	0.94	...	...	...	...	...	12.50

## Tolerances (Inches)

### AK Dimension, Face Runout, Permissible Eccentricity of Mounting Rabbet

AK Dimension	Tolerance on AK Dimension		Maximum Face Runout	Maximum Permissible Eccentricity of Mounting Rabbet
	Plus	Minus		
Less than 12	0.000	0.003	0.004	0.004
12 and Larger	0.000	0.005	0.007	0.007

### Shaft Extension Diameters

Shaft Diameter	Tolerances	
	Plus	Minus
0.2500 to 1.5000, inclusive	0.000	0.0005
Over 1.5000 to 6.500, inclusive	0.000	0.001

### Width of Shaft Extension Keyseats

Width of Keyseat	Tolerances	
	Plus	Minus
0.188 to 0.750, inclusive	0.002	0.000
Over 0.750 to 1.500, inclusive	0.003	0.000


### Shaft Runout

Shaft Diameter	Maximum Permissible Shaft Runout
0.3750 to 1.625, inclusive	0.002
Over 1.625 to 6.500, inclusive	0.003

SOURCE: ANSI/NEMA Standards Publication No. MG 1-1987; Part 4 and Part 11.

## Accessory End

FC face mounting for accessories, including brakes, on the end opposite the drive end of motor. Some motor accessory end C-face may differ from the drive end. Confirm shaft diameter and bolt circle before ordering.



## Dimensions (Inches)

Frame Designation	FAJ	FAK	FBD Max.	FBF Hole			Hole for Accessory Leads	
				Number	Tap Size	Bolt Penetration Allowance	DP	Diameter
143TFC and 145TFC	5.875	4.500	6.50	4	3/8-16	0.56	2.81	0.41
182TFC and 184TFC	5.875	4.500	6.50	4	3/8-16	0.56	2.81	0.41
213TFC and 215TFC	7.250	8.500	9.00	4	1/2-13	0.75	3.81	0.62
254TFC and 256TFC	7.250	8.500	10.00	4	1/2-13	0.75	3.81	0.62
284TFC and 286TFC	9.000	10.500	11.25	4	1/2-13	0.75	4.50	0.62
324TFC and 326TFC	11.000	12.500	14.00	4	5/8-11	0.94	5.25	0.62

NOTE: Standards have not been developed for the shaft extension diameter and length, and keyseat dimensions.

## Tolerances\* (Inches)

FAK Dimension, Face Runout, Permissible Eccentricity of Mounting Rabbet

FAK Dimension	Tolerance on FAK Dimension		Maximum Face Runout	Maximum Permissible Eccentricity of Mounting Rabbet
	Plus	Minus		
Less than 12	0.000	0.003	0.004	0.004
12 and Larger	0.000	0.005	0.007	0.007

\* Tolerance requirement on 56,X00 and 87,000 Series Brake kits is .015 T.I.R. (total indicated runout shaft to motor register face).

## Shaft Runout

Shaft Diameter	Maximum Permissible Shaft Runout
0.3750 to 1.625, inclusive	0.002
Over 1.625 to 6.500, inclusive	0.003

SOURCE: ANSI/NEMA Standards Publication No. MG 1-1987; Part 4 and Part 11.

## Stearns Recommended Minimum Shaft Diameter by Torque

Minimum recommended shaft size considers a keyed C1045 steel shaft under dynamic use in a typical spring set brake application.

Torque ft-lb	Minimum Shaft (inches)
0.50	0.250
0.75	0.250
1.5	0.375
3	0.500
6	0.500
10	0.625
15	0.750
25	0.875
35	1.000
50	1.125

Torque ft-lb	Minimum Shaft (inches)
75	1.250
105	1.375
125	1.375
175	1.625
230	1.750
330	2.000
440	2.125
500	2.375
750	2.500
1000	2.750


Torque Nm	Minimum Shaft (mm)
4 Nm	ø10 mm
8 Nm	ø13 mm
16 Nm	ø16 mm
32 Nm	ø20 mm
60 Nm	ø25 mm
80 Nm	ø28 mm
150 Nm	ø34 mm
240 Nm	ø39 mm
400 Nm	ø47 mm

# Set and Release Times

The models listed below were tested for typical set and release times. Times listed below are defined as follows:

T1 = Total set time to 80% of rated static torque    T2 = Release time, measured as the time from when the power is applied to the brake to the time that the solenoid plunger or

**NOTE: Times will vary with the motor used, and brakes tested with factory-set air gap. The times shown should be used as a guide only.**



## SAB T1/T2 Time in Milliseconds

Series	Static Torque lb-ft	Coil Size	Coil Strength	T1 AC	T2 AC
56,000	1 1/2 – 25	4	3	25	14
87,000	10,15, 25,50	5 & 6	3	53	21
87,000	35,75,105	8	3	50	25
81,000 82,000	All	9	3	58	31

Brake and motor are switched separately.  
 All brakes tested in horizontal position.  
 Coil is energized for >24 hours before testing.  
 Ambient temperature 70°F at time of test.

## AAB Series 333 Times in Milliseconds

Size	Applied Voltage/Type of Switching	T1	T2
72	DC side switching	23	35
	230 Vac/ac side switching/full wave	103	39
	460 Vac/ac side switching/half wave	98	34
90	DC side switching	19	73
	230 Vac/ac side switching/full wave	113	72
	460 Vac/ac side switching/half wave	114	73
	230 Vac connected across motor full wave	357	72
112	230 Vac connected across motor /quickset	42	72
	DC side switching	155	39
	230 Vac/ac side switching/full wave	547	43
	460 Vac/ac side switching/half wave	501	54
132	DC side switching	119	100
	230 Vac/ac side switching/full wave	833	101
	460 Vac/ac side switching/half wave	803	106
145	DC side switching	185	186
	230 Vac/ac side switching/full wave	999	192
	460 Vac/ac side switching/half wave	1007	209
	230 Vac connected across motor full wave	1689	192
	230 Vac connected across motor /quickset	368	192
170	460 Vac/ac side switching/half wave/With air gap shim	629	223
	DC side switching	129	163
	230 Vac/ac side switching/full wave	1130	174
	460 Vac/ac side switching/half wave	1140	175
196	DC side switching	96	263
	230 Vac/ac side switching/full wave	920	264
	460 Vac/ac side switching/half wave	957	274
230	DC side switching	131	264
	230 Vac/ac side switching/full wave	1299	236
	460 Vac/ac side switching/half wave	1303	276
	Tor-Ac 230 Vac/ac side switching/full wave	169	295
	Tor-Ac 230 Vac/ac side switching/full wave/With air gap shim	122	327
	230 Vac connected across motor quickset/quickrelease/with air gap shim	122	145
278	DC side switching	182	388
	230 Vac/ac side switching/full wave	1807	389
	460 Vac/ac side switching/half wave	1689	366

## AAB Series 310/311/320/321 Times in Milliseconds

Series	310 DC Side Switching					
Size	1.79	2.0	2.87	3.35	4.25	5.0
T1	3	6	9	14	13	22
T2	20	43	48	110	120	195
Series	311 DC Side Switching					
Size	3.38	4.75	5.0			
T1	43	48	96			
T2	12	74	35			
Series	320 DC Side Switching					
Size	1.2	1.8	2.0	2.8		
T1	14	43	16	27		
T2	24	26	35	34		
Series	320 Full wave rectifier/AC Side Switching					
Size	1.2	1.8	2.0	2.8		
T1	31	97	52	78		
T2	27	29	40	42		
Series	321 DC Side Switching			321 AC Side Switching		
Size	1.2	1.8	2.8	1.2	1.8	2.8
T1	13	16	20	45	77	131
T2	18	27	49	16	25	26

# Conversions

## English-Metric Conversion Factors

Multiply the base unit by the factor shown to obtain the desired conversion.

Measurement	Base Unit	Factor	Conversion
Length	inch, in ( <i>millimeter, mm</i> )	25.4 .03937	( <i>millimeter, mm</i> ) inch, in
Torque	pound-feet, lb-ft ( <i>newton-meter, Nm</i> )	1.355818 .73756	( <i>newton-meter, Nm</i> ) pound-feet, lb-ft
	pound-inch, lb-in ( <i>newton-meter, Nm</i> )	.113 8.85	( <i>newton-meter, Nm</i> ) pound-inch, lb-in
	ounce-inch, oz-in ( <i>newton-meter, Nm</i> )	.007062 141.611	( <i>newton-meter, Nm</i> ) ounce-inch, oz-in
Moment of Inertia	pound-feet squared, lb-ft <sup>2</sup> ( <i>kilogram-meter squared, kgm<sup>2</sup></i> )	.04214 23.73	( <i>kilogram-meter squared, kgm<sup>2</sup></i> ) pound-feet squared, lb-ft <sup>2</sup>
Kinetic Energy	foot-pound, ft-lb ( <i>joule, J</i> )	1.355818 .73756	( <i>joule, J</i> ) foot-pound, ft-lb
Weight	pound, lb ( <i>kilogram, kg</i> )	.453592 2.20462	( <i>kilogram, kg</i> ) pound, lb
Horsepower (English)	horsepower, hp ( <i>kilowatt, kW</i> )	.7457 1.341	( <i>kilowatt, kW</i> ) horsepower, hp
Thermal Capacity	horsepower-seconds per minute, hp-sec/min ( <i>watts, W</i> )	12.42854 .08046	( <i>watts W</i> ) horsepower-seconds per minute, hp-sec/min
Temperature	degrees Fahrenheit, °F ( <i>degrees Celsius, °C</i> )	(°F - 32) x 5/9 (°C x 9/5) + 32	( <i>degrees Celsius, °C</i> ) degrees Fahrenheit, °F

## English-English Conversion Factors for Thermal Capacity

Base Unit	Multiply by	To Obtain
horsepower	60.0	hp-sec/min
ft-lb/sec	.109	hp-sec/min
ft-lb/min	.0018	hp-sec/min
in-lb/sec	.009	hp-sec/min
in-lb/min	.00015	hp-sec/min

## Decimal Equivalents of Fractions

Decimal Equivalent (Inches)		Fraction (Inches)
2-Place	3-Place	
.02	.016	1/64
.03	.031	1/32
.05	.047	3/64
.06	.062	1/16
.08	.078	5/64
.09	.094	3/32
.11	.109	7/64
.12	.125	1/8
.14	.141	9/64
.16	.156	5/32
.17	.172	11/64
.19	.188	3/16
.20	.203	13/64
.22	.219	7/32
.23	.234	15/64
.25	.250	1/4
.27	.266	17/64
.28	.281	9/32
.30	.297	19/64
.31	.312	5/16
.33	.328	21/64
.34	.344	11/32
.36	.359	23/64
.38	.375	3/8

Decimal Equivalent (Inches)		Fraction (Inches)
2-Place	3-Place	
.39	.391	25/64
.41	.406	13/32
.42	.422	27/64
.44	.438	7/16
.45	.453	29/64
.47	.469	15/32
.48	.484	31/64
.50	.500	1/2
.52	.516	33/64
.53	.531	17/32
.55	.547	35/64
.56	.562	9/16
.58	.578	37/64
.59	.594	19/32
.61	.609	39/64
.62	.625	5/8
.64	.641	41/64
.66	.656	21/32
.67	.672	43/64
.69	.688	11/16
.70	.703	45/64
.72	.719	23/32
.73	.734	47/64
.75	.750	3/4

Decimal Equivalent (Inches)		Fraction (Inches)
2-Place	3-Place	
.77	.766	49/64
.78	.781	25/32
.80	.797	51/64
.81	.812	13/16
.83	.828	53/64
.84	.844	27/32
.86	.859	55/64
.88	.875	7/8
.89	.891	57/64
.91	.906	29/32
.92	.922	59/64
.94	.938	15/16
.95	.958	61/64
.97	.969	31/32
.98	.984	63/64
1.00	1.000	1

## Introduction

Information and guidelines provided in the application section are intended for general selection and application of spring set brakes. Unusual operating environments, loading or other undefined factors may affect the proper application of the product. Stearns application services are available to assist in proper selection or to review applications where the specifier may have questions.

A spring set brake is used to stop and hold a rotating shaft. Generally the brake is mounted to an electric motor, but can also be mounted to gear reducers, hoists, machinery or utilize a foot mount kit.

The brake should be located on the high speed shaft of a power transmission system. This permits a brake with the lowest possible torque to be selected for the system.

Spring set disc brakes use friction to stop (dynamic torque) and hold (static torque) a load. Energy of the motor rotor and moving load is converted to thermal energy (heat) in the brake during deceleration. The brakes are power released, spring applied. No electrical current is required to maintain the spring set condition.

The system designer will need to consider the mount surface and match the brake to the load and application. Factors include: brake torque, stopping time, deceleration rate, load weight and speed, location and environment. Brake thermal ratings, electrical requirements and environmental factors are discussed in separate sections.

## Electrical Considerations

Solenoid actuated brakes (SAB's) are available with standard motor voltages, frequencies and Class B or H coil insulation. Most models can be furnished with either single or dual voltage coils. Coils in most models are field replaceable.

Inrush and holding amperage information is published for the common coil voltages and factory available for other voltages or frequencies. Amperage information for specific coil sizes is provided for selection of wire size and circuit protection at brake installation. Fixed voltage - 50/60 Hz dual frequency coils are available in many models.

All SAB AC coils are single phase and can be wired to either single or three phase motors without modifications. All solenoid coils have a voltage range of +/- 10% of the rated nameplate voltage at the rated frequency. Instantaneous rated voltage must be supplied to the coil to insure proper solenoid pull in and maximum coil cycle rate. The plunger rapidly seats in the solenoid and the

amperage requirements drops to a holding amperage value.

Instantaneous voltage must be supplied to the coil to insure proper solenoid pull-in and maximum coil cycle rate.

Because Stearns Solenoid Actuated Brakes (SAB's) require low current to maintain the brake in the released position, the response time to set the brake *can* be affected by EMF voltages generated by the motor windings. It may be necessary to isolate the brake coil from the motor winding.

The solenoid coil cycle rate limits the engagements per minute of a static or holding duty brake. Brake thermal performance, discussed in another section, limits engagements per minute in dynamic applications.

Class B insulation is standard in most SAB models, class H coil insulation is optional and is recommended for environments above 104°F (40°C), or rapid cycling applications.

Armature actuated brakes (AAB's) are available in standard DC voltages. Available AC rectification is listed in the catalog section. Wattage information is provided in the catalog pages. Unlike solenoid actuated brakes, armature actuated brakes do not have inrush amperage. Coil and armature reaction time and resulting torque response time information is available. Like SAB, mechanical reaction time depends on typical application factors including load, speed and position.

Electrical response time and profiles are unique to the SAB and AAB. Reaction time requirements should be considered when selecting or interchanging brakes.

All Stearns brake coils are rated for continuous duty and can be energized continually without overheating. The coil heating effect is greatest at coil engagement due to engaging, pull in or inrush amperage.

Temperature limits as established by UL controls standards are:

Class A insulation	221°F (105°C)
Class B insulation	266°F (130°C)
Class H insulation	356°F (180°C).

## Types of Applications

In order to simplify the selection of a disc brake, loads can be classified into two categories, non-overhauling and overhauling.

Loads are classified as non overhauling, if (1) no components of the connected equipment or external material undergo a change of height, such as would occur in hoisting, elevating or lowering a load, and (2) there is only rotary motion in a horizontal plane. For example, a loaded conveyor operating in a horizontal plane

would be typical of a non-overhauling load.

If the same conveyor were transporting material to a lower level, it would be classified as an overhauling load. The external material or load undergoes a change in height, with the weight of the load attempting to force the conveyor to run faster than its design speed or to overhaul.

Non-overhauling loads require braking torque only to stop the load and will remain at rest due to system friction. Overhauling loads, such as a crane hoist, have two torque requirements. The first requirement is the braking torque required to *stop* the load, and the second requirement is the torque required to *hold* the load at rest. The sum of these requirements is considered when selecting a brake for an overhauling load.

## Alignment

Requirements per NEMA:

Permissible ECCENTRICITY of mounting rabbet (AK dimension):

42C to 286TC frames inclusive is 0.004" total indicator reading. 324TC to 505TC frames inclusive is 0.007" total indicator reading.

Face Runout:

42C to 286TC frames inclusive is 0.004" total indicator reading.

If a customer furnishes a face on the machine for brake mounting, the same tolerances apply. Floor mounted brakes must be carefully aligned within 0.005" for concentricity and angular alignment. Use of dowels to insure permanent alignment is recommended.

In offset brake mount locations such as fan covers, cowls or jack shafting, proper mount rigidity and bearing support must be provided. Spring set frictional brakes characteristically have a rapid stop during torque application which may affect the mount surface or contribute to shaft deflection.

Printed installation information is published and available on all Stearns spring set brakes.

## Determining Brake Torque

### Torque ratings

Brake torque ratings are normally expressed as nominal static torque. That is, the torque required to begin rotation of the brake from a static, engaged condition. This value is to be distinguished from dynamic torque, which is the retarding torque required to stop a linear, rotating or overhauling load.

As a general rule, a brake's dynamic torque is approximately 80% of the static torque rating of the brake for stopping time up to one second. Longer stopping time will produce additional brake heat and possible fading (reduction) of dynamic torque. The required dynamic torque must be converted to a static torque value before selecting a brake, using the

$$T_s = \frac{T_d}{0.8}$$

Where,  $T_s$  = Static torque, lb-ft

$T_d$  = Dynamic torque, lb-ft

0.8 = Constant  
(derating factor)

relationship:

All Stearns brakes are factory burnished and adjusted to produce no less than rated nominal static torque. Burnishing is the initial wear-in and mating of the rotating friction discs with the stationary metallic friction surfaces of the brake.

Although brakes are factory burnished and adjusted, variations in torque may occur if components are mixed when disassembling and reassembling the brake during installation. Further burnishing may be necessary after installation. Friction material will burnish under normal load conditions. Brakes used as holding only duty require friction material burnishing at or before installation to insure adequate torque.

When friction discs are replaced, the brake must be burnished again in order to produce its rated holding torque.

### System Friction

The friction and rolling resistance in a power transmission system is usually neglected when selecting a brake. With the use of anti-friction bearings in the system, friction and rolling resistance is usually low enough to neglect. Friction within the system will assist the brake in stopping the load. If it is desired to consider it, subtract the frictional torque from the braking torque necessary to decelerate and stop the load. Friction and rolling resistance are neglected in the examples presented in this guide.

### Non-overhauling Loads

There are two methods for determining brake torque for non-overhauling loads. The first method is to size the brake to the torque of the motor. The second is to select a brake on the basis of the total system or load inertia to be stopped.

### Selecting Brake Torque from the Motor Data

Motor full-load torque based on nameplate horsepower and speed can be used to select a brake. This is the most common method of selecting a brake torque rating due to its simplicity.

This method is normally used for simple rotary and linear inertial loads. Brake torque is usually expressed

as a percent of the full load torque of the motor. Generally this figure is not less than 100% of the motor's full load torque. Often a larger service factor is considered. Refer to *Selection of Service Factor*.

$$T_s = \frac{5,252 \times P}{N} \times SF$$

Where,  $T_s$  = Static brake torque, lb-ft

$P$  = Motor horsepower, hp

$N$  = Motor full load speed, rpm

$SF$  = Service factor

5,252 = Constant

The required brake torque may be calculated from the formula:

Match the brake torque to the hp used in the application. When an oversized motor hp has been selected, brake torque based on the motor hp may be excessive for the actual end use.

Nameplate torque represents a nominal static torque. Torque will vary based on combinations of factors including cycle rate, environment, wear, disc burnish and flatness. Spring set brakes provide a rapid stop and hold and are generally not used in repeat positioning applications.

### Selection of Service Factor

A service factor is applied to the basic drive torque calculation. The SF compensates for any tolerance variation, data inaccuracy, unplanned transient torque and potential variations of the friction disc.

When using the basic equation:

$T = (\text{hp} \times 5252) / \text{rpm}$  with non-overhauling loads, a service factor of 1.2 to 1.4 is typical. Overhauling loads with unknown factors such as reductions may use a service factor of 1.4 to 1.8.

Spring set brakes combined with variable frequency drives use service factors ranging from 1.0 to 2.0 (2.0 for holding duty only) depending on the system design. These holding duty brakes must be wired to a separate dedicated power supply.

Occasionally, a brake with a torque rating less than the motor full load torque or with a service factor less than 1.0 is selected. These holding or soft stop applications must be evaluated by the end user or system designer to insure adequate sizing and thermal capacity.

Typically a brake rated 125% of the motor full load torque, or with a 1.25 service factor, provides a stop in approximately the same time as that required for the motor to accelerate the load to full load speed.

Occasionally a motor is oversized or undersized for the load or application. In these situations, the load inertia and desired stopping time calculations should be used rather than relying on

the service factor method alone.

Service factor selection can be based on motor performance curves. Motor rotor and load inertia should be considered in this selection process. Depending on the motor design (NEMA A, B, C and D), rpm and horsepower, the maximum torque is either the starting or breakdown torque. A NEMA design B, 3 phase, squirrel cage design motor at breakdown torque produces a minimum of 250% the full load torque. A service factor of 2.5 would be selected. Typical service factors depending on NEMA motor design are: NEMA design A or B: 1.75 to 3.0, NEMA design C: 1.75 to 3.0 and NEMA design D: not less than 2.75.

A brake with an excessive service factor may result in system component damage, an unreasonably rapid stop or loss of load control. A SF above 2.0 is not recommended without evaluation by the end user or system designer.

### Example 1: Select brake torque from

Given: Motor power ( $P$ ) - 5 hp

Motor speed ( $N$ ) - 1,750 rpm

Service factor ( $SF$ ) - 1.4

$$T = \frac{5,252 \times P}{N} \times SF$$

$$= \frac{5,252 \times 5}{1,750} \times 1.4$$

$$T = 21 \text{ lb-ft}$$

motor horsepower and speed.

A brake having a standard rating of 25 lb-ft nominal static torque would be selected.


Example 2 illustrates selection of a brake to provide proper static torque to hold a load if dynamic braking were used to stop the load.

**Example 2:** Select a brake to hold a load in position after some other method, such as dynamic braking of the motor, has stopped all rotation.

Given: Weight of load ( $W$ ) - 5 lb

Drum radius ( $R$ ) - 2 ft

Service factor ( $SF$ ) - 1.4



The static holding torque is determined by the weight of the load applied at the drum radius. A service factor is applied to ensure sufficient holding torque is available in the brake.

$$T_s = F \times R \times SF$$

$$= 5 \times 2 \times 1.4$$

$$T_s = 14 \text{ lb-ft}$$

### Sizing the Brake to the Inertial Load

For applications where the load data is known, where high inertial loads exist, or where a stop in a specified time or distance is required, the brake should be selected on the basis of the total inertia to be retarded. The total system inertia, reflected to the brake shaft speed, would be:

$$Wk_T^2 = Wk_B^2 + Wk_M^2 + Wk_L^2$$

Where:  $Wk_T^2$  = Total inertia reflected to the brake, lb-ft<sup>2</sup>

$Wk_B^2$  = Inertia of brake, lb-ft<sup>2</sup>

$Wk_M^2$  = Inertia of motor rotor, lb-ft<sup>2</sup>

$Wk_L^2$  = Equivalent inertia of load reflected to brake shaft, lb-ft<sup>2</sup>

Other significant system inertias, including speed reducers, shafting, pulleys and drums, should also be considered in determining the total inertia the brake would stop.

If any component in the system has a rotational speed different than the rotational speed of the brake, or any linear moving loads are present, such as a conveyor load, their equivalent inertia in terms of rotary inertia at the brake rotational speed must be determined. The following formulas are applicable:

#### Rotary motion:

$$\text{Equivalent } Wk_B^2 = Wk_L^2 \left( \frac{N_L}{N_B} \right)^2$$

Where,

Equivalent  $Wk_B^2$  = Inertia of rotating load reflected to brake shaft, lb-ft<sup>2</sup>

$Wk_L^2$  = Inertia of rotating load, lb-ft<sup>2</sup>

$N_L$  = Shaft speed at load, rpm

$N_B$  = Shaft speed at brake, rpm

#### Horizontal Linear Motion

$$\text{Equivalent } Wk_W^2 = W \left( \frac{V}{2\pi N_B} \right)^2$$

Where,

Equivalent  $Wk_W^2$  = Equivalent inertia of linear moving load reflected to brake shaft, lb-ft<sup>2</sup>

$W$  = Weight of linear moving load, lb

$V$  = Linear velocity of load, ft/min

$N_B$  = Shaft speed at brake, rpm

Once the total system inertia is calculated, the required average dynamic braking torque can be calculated using the formula:

$$T_d = \frac{Wk_T^2 \times N_B}{308 \times t}$$

Where,  $T_d$  = Average dynamic braking torque, lb-ft

$Wk_T^2$  = Total inertia reflected to brake, lb-ft<sup>2</sup>

$N_B$  = Shaft speed at brake, rpm

$t$  = Desired stopping time, sec

308 = Constant

The calculated dynamic torque is converted to the static torque rating using the relationship:

$$T_s = \frac{T_d}{0.8}$$

Where,  $T_s$  = Brake static torque, lb-ft

$T_d$  = System dynamic torque, lb-ft

Examples 3, 4, 5 and 6 illustrate how brake torque is determined for non-overhauling loads where rotary or horizontal linear motion is to be stopped.

**Example 3:** Select a brake to stop a rotating flywheel in a specified time.

Given, Motor speed ( $N_M$ ) - 1,750 rpm

Motor inertia ( $Wk_M^2$ ) - 0.075 lb-ft<sup>2</sup>

Flywheel inertia ( $Wk_{FW}^2$ ) - 4 lb-ft<sup>2</sup>

Brake inertia ( $Wk_B^2$ ) - 0.042 lb-ft<sup>2</sup>


Required stopping time ( $t$ ) - 1 sec

First determine the total inertia to be stopped,

$$Wk_T^2 = Wk_M^2 + Wk_{FW}^2 + Wk_B^2$$

$$= 0.075 + 4 + 0.042$$

$$Wk_T^2 = 4.117 \text{ lb-ft}^2$$



The dynamic braking torque required to stop the total inertia in 1 second is,

$$T_d = \frac{Wk_T^2 \times N_{BM}}{308 \times t}$$

$$= \frac{4.117 \times 1,750}{308 \times 1}$$

$$T_d = 23.4 \text{ lb-ft}$$

Converting  $T_d$  to static torque

$$T_s = \frac{T_d}{0.8}$$

$$= \frac{23.4}{0.8}$$

$$T_s = 29.3 \text{ lb-ft}$$

A brake having a standard static torque rating of 35 lb-ft would be selected. Since a brake with more torque than necessary to stop the flywheel in 1 second is selected, the stopping time would be,

$$t = \frac{Wk_T^2 \times N_{BM}}{308 \times T_d}$$

$$= \frac{Wk_T^2 \times N_{BM}}{308 \times (0.8 T_s)}$$

$$= \frac{4.117 \times 1,750}{308 \times (0.8 \times 35)}$$

$$t = 0.84 \text{ sec}$$

See section on *Stopping Time and Thermal Information*.

**Example 4:** Select a brake to stop a rotating flywheel, driven through a gear reducer, in a specified time.

Given: Motor speed ( $N_M$ ) - 1,800 rpm

Motor inertia ( $Wk_M^2$ ) - 0.075 lb-ft<sup>2</sup>


Gear reduction (GR) - 20:1

Gear reducer inertia at high speed shaft ( $Wk_{GR}^2$ ) - 0.025 lb-ft<sup>2</sup>

Flywheel inertia ( $Wk_{FW}^2$ ) - 20 lb-ft<sup>2</sup>

Required stopping time ( $t$ ) -

0.25 sec



First, determine rotating speed of flywheel ( $N_{FW}$ )

$$N_{FW} = \frac{N_{BM}}{GR}$$

$$= \frac{1,800}{20}$$

$N_{FW} = 90$  rpm

Next, the inertia of the flywheel must be reflected back to the motor brake shaft.

$$Wk_b^2 = Wk_{FW}^2 \left( \frac{N_{FW}}{N_M} \right)^2$$

$$= 20 \left( \frac{90}{1,800} \right)^2$$

$$Wk_b^2 = 0.05 \text{ lb-ft}^2$$

Determining the total  $Wk^2$ ,

$$Wk_T^2 = Wk_M^2 + Wk_{GR}^2 + Wk_b^2$$

$$= 0.075 + 0.025 + 0.05$$

$$Wk_T^2 = 0.15 \text{ lb-ft}^2$$

The required dynamic torque to stop the flywheel in 0.25 seconds can now be determined.

$$T_d = \frac{Wk_T^2 \times N_{BM}}{308 \times t}$$

$$T_d = \frac{0.15 \times 1,800}{308 \times 0.25}$$

$$T_d = 3.5 \text{ lb-ft}$$

Converting dynamic torque to static torque,

$$T_s = \frac{T_d}{0.8}$$

$$= \frac{3.5}{0.8}$$

$$T_s = 4.4 \text{ lb-ft}$$

A brake having a standard static torque rating of 6 lb-ft would be selected. Since a brake with more torque than necessary to stop the flywheel in 0.25 seconds is selected, the stopping time would be,

$$t = \frac{Wk_T^2 \times N_M}{308 \times T_d}$$

$$= \frac{Wk_T^2 \times N_M}{308 \times (0.8 \times T_s)}$$

$$= \frac{0.15 \times 1,800}{308 \times (0.8 \times 6)}$$

$$t = 0.18 \text{ sec}$$

See section on *Stopping Time and Thermal Information*.

**Example 5:** Select a brake to stop a load on a horizontal belt conveyor in a specified time.

Given:


Conveyor pulley speed ( $N_p$ ) - 32 rpm

Weight of load ( $W$ ) - 30 lb

Conveyor pulley and belt inertia ( $Wk_p^2$ ) - 4.0 lb-ft<sup>2</sup>

Conveyor pulley diameter ( $d_p$ ) - 1 ft

Required stopping time ( $t$ ) - 0.25 sec



First, convert the rotational pulley speed to linear belt speed ( $V_B$ ).

$$V_B = \pi d_p N_p$$

$$= \pi \times 1 \times 32$$

$$V_B = 100.5 \text{ ft/min}$$

Next, determine inertia of load.

$$Wk_W^2 = W \left( \frac{V_B}{2\pi \times N_p} \right)^2$$

$$= 30 \left( \frac{100.5}{2\pi \times 32} \right)^2$$

$$Wk_W^2 = 7.5 \text{ ft-lb}^2$$

Then, determine total inertial load.

$$Wk_T^2 = Wk_W^2 + Wk_p^2$$

$$= 7.5 + 4.0$$

$$Wk_T^2 = 11.5 \text{ lb-ft}^2$$

The required dynamic torque to stop the conveyor load in 0.25 seconds can now be determined.

$$T_d = \frac{Wk_T^2 \times N_p}{308 \times t}$$

$$T_d = \frac{11.5 \times 32}{308 \times 0.25}$$

$$T_d = 4.8 \text{ lb-ft}$$

Converting dynamic torque to static torque,

$$T_s = \frac{T_d}{0.8}$$

$$= \frac{4.8}{0.8}$$

$$T_s = 6 \text{ lb-ft}$$

A brake having a standard static torque rating of 6 lb-ft would be selected. See *Thermal Information*.

**Example 6:** Select a brake to stop a trolley crane and its load in a specified time. Brake mounted on wheel axle.

Given:


Weight of crane ( $W_c$ ) - 2,000 lb

Weight of load ( $W_L$ ) - 100 lb

Trolley velocity ( $v$ ) - 3 ft/sec or 180 ft/min

Radius of trolley wheel ( $r$ ) - 0.75 ft

Required stopping time ( $t$ ) - 2 sec



The dynamic braking torque required to stop the trolley crane and load can be determined by one of two methods. The first method is to determine the equivalent inertia of the linearly moving crane and load, then calculate the dynamic braking torque. The second method is to determine the dynamic braking torque directly.

Using the first method, the total weight to be stopped is determined first.



$$W_T = W_L + W_C$$

$$= 100 + 2,000$$

$$W_T = 2,100 \text{ lb}$$

Next, the rotational speed of the axle ( $N_B$ ) is calculated.

$$N_B = \frac{V}{2\pi r}$$

$$= \frac{180}{2 \times \pi \times 0.75}$$

$$N_B = 38.2 \text{ rpm}$$

Then, the equivalent inertia of the linearly moving crane and load is determined.

$$Wk_f^2 = W_T \left( \frac{V}{2\pi N_B} \right)^2$$

$$= 2,100 \left( \frac{180}{2\pi \times 38.2} \right)^2$$

$$Wk_f^2 = 1,181 \text{ lb-ft}^2$$

Finally, the dynamic braking torque required to stop the total inertia in 2 seconds is,

$$T_d = \frac{Wk_f^2 \times N_B}{308 \times t}$$

$$= \frac{1,181 \times 38.2}{308 \times 2}$$

$$T_d = 73 \text{ lb-ft}$$

Using the second method, the dynamic braking torque required to stop the crane and load in 2 seconds can be calculated directly using the formula,

$$T_d = \frac{W_T \cdot V}{gt} \times r$$

Where,  $T_d$  = Average dynamic braking torque, lb-ft

$W_t$  = Total weight of linear moving load, lb

$v$  = Linear velocity of load, ft/sec

$g$  = Gravitational acceleration constant, 32.2 ft/sec<sup>2</sup>

$t$  = Desired stopping time, sec

$r$  = Length of the moment arm (wheel radius), ft

or, for this example,

$$T_d = \frac{2,100 \times 3}{32.2 \times 2} \times 0.75$$

$$T_d = 73 \text{ lb-ft}$$

For both methods above, the required dynamic braking torque is converted to static torque,

$$T_s = \frac{T_d}{0.8}$$

$$= \frac{73}{0.8}$$

$$T_s = 91 \text{ lb-ft}$$

A smaller brake could be mounted on the high speed shaft in place of the higher torque on the low speed shaft.

A brake having a standard static torque rating of 105 lb-ft is selected. Since a brake with more torque than necessary to stop the load in 2 seconds is selected, the stopping time would be,

$$T = \frac{W_T \cdot V}{gT_d} \times r$$

$$= \frac{W_T \cdot V}{g \times (0.8 \times T_s)} \times r$$

$$= \frac{2,100 \times 3}{32.2 \times (0.8 \times 105)} \times 0.75$$

$$t = 1.8 \text{ sec}$$

See section on *Stopping Time* and cycle rates, *Thermal Selection*. Stops should be under 2 seconds. Longer stops require application test.

### Overhauling Loads

Applications with a descending load, such as power lowered crane, hoist or elevator loads, require a brake with sufficient torque to both *stop* the load, and *hold* it at rest. Overhauling loads having been brought to rest still invite motion of the load due to the effect of gravity. Therefore, brake torque must be larger than the overhauling torque in order to stop and hold the load. If brake torque is equal to or less than the overhauling torque, there is no net torque available for stopping a descending load.

First, the total system inertia reflected to the brake shaft speed must be calculated.

Second, the average dynamic torque required to decelerate the descending load in the required time is calculated with the formula:

$$T_d = \frac{Wk_f^2 \times N_B}{308 \times t}$$

Where,  $T_d$  = Average dynamic braking torque, lb-ft

$Wk_f^2$  = Total inertia reflected to brake, lb-ft<sup>2</sup>

$N_B$  = Shaft speed at brake, rpm. Consider motor slip when descending.

$t$  = Desired stopping time, sec

Third, the overhauling torque reflected to the brake shaft is determined by the formula:

$$T_o = W \times R \times \frac{N_L}{N_B}$$

Where,  $T_o$  = Overhauling dynamic torque of load reflected to brake shaft, lb-ft

$W$  = Weight of overhauling load, lb

$R$  = Radius of hoist or elevator drum, ft

$N_L$  = Rotating speed of drum, rpm

$N_B$  = Rotating speed at brake, rpm

Or alternately, the dynamic torque to overcome the overhauling load can be calculated with the formula:

$$T_o = \frac{0.158 \times W \times V}{N_B}$$

Where,  $T_o$  = Overhauling dynamic torque of load reflected to brake shaft, lb-ft

$W$  = Weight of overhauling load, lb

$V$  = Linear velocity of descending load, ft/min

$N_B$  = Shaft speed at brake, rpm

0.158 = Constant

Next, the total dynamic torque required to stop and hold the overhauling load is the sum of the two calculated dynamic torques:

$$T_t = T_d + T_o$$

Finally, the dynamic torque must be converted to static brake torque to select a brake:

$$T_s = \frac{T_d}{0.8}$$

Where,  $T_s$  = Brake static torque, lb-ft

$T_t$  = System dynamic torque, lb-ft

If the total inertia of the system and overhauling load cannot be accurately determined, a brake rated at 180% the motor full load torque should be selected. Refer to *Selection of Service Factor*. The motor starting torque may permit a heavier than rated load to be lifted; the brake must stop the load when descending.

Examples 7, 8 and 9 illustrate how brake torque would be determined for overhauling loads. In these examples brakes are selected using the system data rather than sizing them to the motor. Refer to the section on *Thermal Calculations* to determine cycle rate.

Consider motor slip in calculation. An 1800 rpm motor with 10% slip would operate at 1,620 rpm when the load is ascending and 1,980 rpm when descending. Motor rpm, armature inertia and load position will affect stop time. Brakes on overhauling loads should be wired through a dedicated relay.

**Example 7:** Select a brake to stop an overhauling load in a specified time.


- Given: Cable speed (V) - 667 ft/min
- Weight of load (W) - 100 lb
- Drum diameter (D) - 0.25 ft
- Drum inertia ( $Wk_d^2$ ) - 5 lb-ft<sup>2</sup>
- Required stopping time (t) - 1 sec

First, determine brakemotor shaft speed ( $N_B$ ).

$$N_B = \frac{V}{\pi D}$$

$$= \frac{667}{\pi \times 0.25}$$

$$N_B = 849 \text{ rpm}$$



Then, determine the equivalent inertia of the overhauling load.

$$Wk_f^2 = W \left( \frac{V}{2\pi N_B} \right)^2$$

$$= 100 \left( \frac{667}{2\pi \times 849} \right)^2$$

$$Wk_f^2 = 1.56 \text{ lb-ft}^2$$

Therefore, the total inertia at the brake is,

$$Wk_f^2 = Wk_d^2 + Wk_f^2$$

$$= 5 + 1.56$$

$$Wk_f^2 = 6.56 \text{ lb-ft}^2$$

Now, the dynamic torque required to decelerate the load and drum in the required time is calculated.

$$T_d = Wk_f^2 \times N_B$$

$$= \frac{6.56 \times 850}{308 \times 1}$$

$$T_d = 18.1 \text{ lb-ft}$$

Next, calculate the dynamic torque required to overcome the overhauling load.

$$T_o = W \times R$$

$$= 100 \times \frac{0.25}{2}$$

$$T_o = 12.5 \text{ lb-ft}$$

The total dynamic torque to stop and hold the overhauling load is the sum of the two calculated dynamic torques.

$$T_t = T_d + T_o$$

$$= 18.1 + 12.5$$

$$T_t = 30.6 \text{ lb-ft}$$

Dynamic torque is then converted to static torque.

$$T_s = \frac{T_t}{0.8}$$

$$= \frac{30.6}{0.8}$$

$$T_s = 38.3 \text{ lb-ft}$$

A brake having a standard torque rating of 50 lb-ft is selected based on expected stop time. Since a brake with more torque than necessary to stop the load in 1 second is selected, the stopping time would be,

$$t = \frac{Wk_f^2 \times N}{308 \times T_d}$$

where,

$$T_s = \frac{T_t}{0.8}$$

$$= \frac{T_d + T_o}{0.8}$$

or,

$$T_d = 0.8T_s - T_o$$

$$= (0.8)(50) - 12.5$$

$$T_d = 27.5 \text{ lb-ft}$$

therefore,

$$t = \frac{6.56 \times 850}{308 \times 27.5}$$


$$t = 0.7 \text{ sec}$$

Wire the brake through a dedicated relay on overhauling loads where stop time or distance is critical. See section on *Stopping time*.

**Example 8:** Select a brake to stop an overhauling load driven through gear reducer in a specified time.

- Given: Motor speed ( $N_M$ ) - 1,150 rpm
- Motor inertia ( $Wk_M^2$ ) - 0.65 lb-ft<sup>2</sup>
- Gear reduction (GR) - 300:1
- Drum diameter (D) - 1.58 ft
- Weight of load (W) - 4,940 lb
- Drum inertia ( $Wk_d^2$ ) - 600 lb-ft<sup>2</sup>
- Required stopping time (t) - 0.5 sec

First, calculate all inertial loads reflected to the brakemotor shaft.



The rotational speed of the drum is,

$$N_D = \frac{N_M}{GR}$$

$$= \frac{1,150}{300}$$

$$N_D = 3.83 \text{ rpm}$$

From this, the cable speed can be determined.

$$V = N_D \times \pi D$$

$$= 3.83 \times \pi \times 1.58$$

$$V = 19.0 \text{ ft/min}$$

The equivalent inertia of the load reflected to the brakemotor shaft is,

$$Wk_f^2 = W \left( \frac{V}{2\pi N_{BM}} \right)^2$$

$$= 4,940 \left( \frac{19.0}{2\pi \times 1,150} \right)^2$$

$$Wk_f^2 = 0.034 \text{ lb-ft}^2$$

The equivalent inertia of the drum at the brakemotor shaft speed is,

$$Wk_d^2 = Wk_B^2 \left( \frac{N_D}{N_{BM}} \right)^2$$

$$= 600 \left( \frac{3.83}{1,150} \right)^2$$

Finally, the total inertia the brake will retard is,

$$Wk_T^2 = Wk_M^2 + Wk_I^2 + Wk_d^2$$

$$Wk_T^2 = 0.0067 \text{ lb-ft}^2$$

$$Wk_T^2 = 0.691 \text{ lb-ft}^2$$

The dynamic torque required to decelerate the total inertia is,

$$T_d = \frac{Wk_T^2 \times N_{BM}}{308 \times t}$$

$$= \frac{0.691 \times 1,150}{308 \times 0.5}$$

$$T_d = 5.16 \text{ lb-ft}^2$$

Now, calculate the dynamic torque to overcome the overhauling load.

$$T_o = W \times R = W \times \frac{1}{2} D$$

$$= 4,940 \times \frac{1.58}{2}$$

$$T_o = 3,903 \text{ lb-ft}$$

Which reflected to the brakemotor shaft becomes,

$$T_m = \frac{T_o}{GR}$$

$$= \frac{3,903}{300}$$

$$T_m = 13.0 \text{ lb-ft}$$

Then, the total dynamic torque to stop and hold the overhauling load is the sum of the two calculated dynamic torques.

$$T_t = T_d + T_m$$

$$= 5.16 + 13.0$$

$$T_t = 18.16 \text{ lb-ft}$$

Dynamic torque is then converted to static torque.

$$T_s = \frac{T_t}{0.8}$$

$$= \frac{18.16}{0.8}$$

$$T_s = 22.7 \text{ lb-ft}$$

A brake having a standard torque rating of 25 lb-ft is selected.

**Example 9:** Select a brake to stop and hold a load on an inclined plane (skip hoist).

Given: Motor data  
 Power (P) - 7½ hp  
 Speed (N<sub>M</sub>) - 1,165 rpm  
 Rotor inertia (Wk<sub>R</sub><sup>2</sup>) - 1.4 lb-ft<sup>2</sup>

**Gear reducer data:**


Reduction (G<sub>R</sub>) - 110:1  
 Inertia at input shaft (Wk<sub>I</sub><sup>2</sup>) - 0.2 lb-ft<sup>2</sup>

**Drum data**

Diameter (D<sub>D</sub>) - 1.5 ft  
 Inertia (Wk<sub>D</sub><sup>2</sup>) - 75 lb-ft<sup>2</sup>

**Pulley data**

Diameter (D<sub>P</sub>) - 1.5 ft  
 Inertia (Wk<sub>P</sub><sup>2</sup>) - 20 lb-ft<sup>2</sup>  
 Bucket weight (W<sub>B</sub>) - 700 lb  
 Maximum weight of load (W<sub>L</sub>) - 4,000 lb  
 Slope of track (B) - 52.7°



Required stopping time (t) - 1 sec

The bucket is full when ascending the track and is empty when descending. When selecting a brake the most severe condition would be a fully loaded bucket backed down the hoist track. In normal operation the descending bucket would be empty. In this example, the brake is selected for the most severe condition.

The total torque to stop and hold the bucket and load when descending is the sum of (a) the torque to decelerate the total inertia and (b) the torque required to hold the loaded bucket.

First, calculate all inertial loads reflected to the brakemotor shaft. The rotational speed of the drum is:

$$N_D = \frac{N_M}{GR}$$

$$= \frac{1,165}{110}$$

$$N_D = 10.6 \text{ rpm}$$

From this the cable speed can be determined

$$V = N_D \times \pi D_D$$

$$= 10.6 \times \pi \times 1.5$$

$$V = 50 \text{ ft/min}$$

The equivalent inertia of the loaded bucket reflected to the brakemotor shaft is,

$$Wk_T^2 = W \left( \frac{V}{2\pi N_M} \right)^2$$

$$= 4,700 \left( \frac{50}{2\pi \times 1,165} \right)^2$$

$$Wk_T^2 = 0.219 \text{ lb-ft}^2$$

Next, the inertia of the pulley and drum are reflected to the brake motor shaft speed so the total inertia at the brake can be determined.

Since the diameters of the pulley and drum are the same, 1.5 ft, their rotational speeds would be the same, 10.6 rpm.

The inertia of the pulley reflected to the brakemotor shaft is,

$$Wk_P^2 = Wk_B^2 \left( \frac{N_D}{N_M} \right)^2 = Wk_B^2 \left( \frac{1}{GR} \right)^2$$

$$= 20 \times \left( \frac{1}{110} \right)^2$$

$$Wk_P^2 = 0.0017 \text{ lb-ft}^2$$

The inertia of the drum reflected to the brakemotor shaft is,

$$Wk_D^2 = Wk_B^2 \left( \frac{N_D}{N_M} \right)^2 = Wk_B^2 \left( \frac{1}{GR} \right)^2$$

$$= 75 \times \left( \frac{1}{110} \right)^2$$

$$Wk_D^2 = 0.0062 \text{ lb-ft}^2$$

The total inertia to be stopped is,

$$Wk_T^2 = Wk_T^2 + Wk_P^2 + Wk_D^2 + Wk_R^2 + Wk_M^2$$

$$= 0.219 + 0.0017 + 0.0062 + 0.2 + 1.4$$

$$Wk_T^2 = 1.827 \text{ lb-ft}^2$$

Then, the dynamic torque required to bring the descending bucket and load to rest is,

$$T_d = \frac{Wk_T^2 \times N_M}{308 \times T_d}$$

$$T_d = \frac{1.827 \times 1,165}{308 \times 1}$$

The additional dynamic torque required to hold the overhauling load would be determined by the unbalanced component of the force acting along the plane of the hoist track,  $W_T \sin B$ , and the length of the moment arm which is the drum radius ( $R_D$ ).  $W_T \sin B$  is the force necessary to retard downward motion of the loaded hoist bucket.

$$\begin{aligned} T_0 &= W_T \sin B \times R_D \\ &= W_T \sin B \times \frac{1}{2} D_D \\ &= 4,700 \times \sin 52.7^\circ \times \frac{1}{2} (1.5) \\ &= 4,700 \times 0.7955 \times 0.75 \\ T_0 &= 2,804 \text{ lb-ft} \end{aligned}$$

Which reflected to the brakemotor shaft becomes,

$$\begin{aligned} T_m &= \frac{T_0}{GR} \\ &= \frac{2,804}{110} \\ T_m &= 25.5 \text{ lb-ft} \end{aligned}$$

Then, the total dynamic torque to stop and hold the descending bucket and load is the sum of the two calculated dynamic torques.

$$\begin{aligned} T_t &= T_d + T_m \\ &= 6.9 + 25.5 \\ T_t &= 32.4 \text{ lb-ft} \end{aligned}$$

Converting to static torque,

$$\begin{aligned} T_s &= \frac{T_t}{0.8} \\ &= \frac{32.4}{0.8} \\ T_s &= 40.5 \text{ lb-ft} \end{aligned}$$

A brake having a standard torque rating of 50 lb-ft is selected. Since a brake with more torque than necessary to stop the load in 1 second is selected, the stopping time would be,

$$t = \frac{Wk_f^2 \times N_B}{308 \times T_d}$$

$$\begin{aligned} \text{Where, } T_s &= \frac{T_t}{0.8} \\ &= \frac{T_d + T_m}{0.8} \\ \text{or, } T_d &= 0.8 T_s - T_m \\ &= (0.8)(50) - 25.5 \\ T_d &= 14.5 \text{ lb-ft} \end{aligned}$$

therefore,

$$\begin{aligned} t &= \frac{1,827 \times 1,165}{308 \times 14.5} \\ t &= 0.48 \text{ sec} \end{aligned}$$

See section on *Stopping time*.

### Stopping Time and Deceleration Rate

In the formulas used to determine dynamic torque, stopping time or "t" in seconds is a desired or assumed value selected on the requirements of the application. For optimum brake performance, a stopping or braking time of 1 second or less is desirable. Stop times between 2 and 3 seconds require test. *A brake of insufficient torque rating will lengthen the stopping time. This may result in overheating of the brake to a point where torque falls appreciably. The friction material could carbonize, glaze, or fail.*

After determining the braking torque required by a system, it may be necessary to recalculate the stopping time based on the actual brake size selected to insure that stopping time falls within the 0 to 2 second range. Any formula, where the stopping time is a variable, may be rewritten to solve for the new stopping time. For instance, the dynamic torque equation may be transposed as follows:

$$\begin{aligned} T_d &= \frac{Wk_f^2 \times N_B}{308 \times t} \\ \text{or, } t &= \frac{Wk_f^2 \times N_B}{308 \times (0.8 \times T_s)} \end{aligned}$$

Where, t = Stopping time, sec

$Wk_f^2$  = Total inertia reflected to brake, lb-ft<sup>2</sup>

$N_B$  = Shaft speed at brake, rpm

$T_s$  = Nominal static torque rating of brake, lb-ft

$T_d$  = Dynamic braking torque (0.8 x  $T_s$ ), lb-ft

0.8 = Constant (derating factor)

308 = Constant

Brakes are rated in static torque. This value is converted to dynamic torque, as done in the above equation, when stopping time is calculated. That is,

$$T_d = 0.8 \times T_s$$

Where,  $T_d$  = Dynamic braking torque, lb-ft

$T_s$  = Nominal static torque rating of brake, lb-ft

The approximate number of revolutions the brake shaft makes when stopping is:

$$\text{Revolutions to stop} = \frac{t \times N_B}{120}$$

Where, t = Stopping time, sec

$N_B$  = Shaft speed at brake, rpm

120 = Constant

The average rate of deceleration when braking a linearly moving load to rest can be calculated using the stopping time determined by the above formula and the initial linear velocity of the load.

$$a = \frac{V_i}{t}$$

Where, a = Deceleration, ft/sec<sup>2</sup>

$V_i$  = Initial linear velocity of load, ft/sec

t = Stopping time, sec

### RPM Considerations

The maximum allowable rotational speed of the brake should not be exceeded in braking. Maximum brake rpm as listed in the catalog is intended to limit stopping time to 2 seconds or less and insure friction disc stability. Brakes are not dynamically balanced because of the low brake inertia.

### Determining Required Thermal Capacity

#### Thermal Ratings

When a brake stops a load, it converts mechanical energy to thermal energy or heat. The heat is absorbed by components of the brake. This heat is then dissipated by the brake. The ability of a given brake to absorb and dissipate heat without exceeding temperature limitations is known as thermal capacity.


There are two categories of thermal capacity for a brake. The first is the *maximum* energy the brake can absorb in one stop, generally referred to as a "crash" or "emergency" stop. The second is the heat dissipation capability of the brake when it is cycled frequently. *To achieve optimum brake performance, the thermal rating should not be exceeded. They are specified for a predetermined maximum temperature rise of the brake friction material.*

The ability of a brake to absorb and dissipate heat is determined by many factors, including the design of the brake, the ambient temperature, brake enclosure, position of the brake, the surface that the brake is mounted to, and the altitude.

The rating for a given brake is the maximum allowable. Longer brake life results when the brake has more thermal capacity than a power transmission requires. Much shorter life or brake failure will result when the thermal capacity rating is exceeded. Ratings are determined at an ambient temperature of 72°F (22°C), with the brake in a horizontal position, with a stopping time of 1 second or less, and with no external heat source such as a motor.

Ambient temperature will limit the thermal capacity of a brake. Temperatures above 72°F (22°C) require derating of the thermal capacity rating. For example, at 150°F, thermal capacity is reduced approximately 30% (see *Derating Thermal Capacity Chart*).

**CHART: Derating Thermal Capacity**



A temperature range of 20°F (-7°C) to 104°F (40°C) is acceptable in most brake applications. Above 104°F also consider Class H coil insulation.

Thermal capacity ratings are determined with enclosures on the brake. Other customer furnished covers or cowls may affect a brake's thermal capacity. The effect on thermal capacity should be evaluated. In some cases, thermal capacity may be increased by use of air or liquid cooling. However, provisions must be made to prevent contaminating the brake internally.

Brakes with brass stationary discs are derated 25%.


The mounting position of a brake will also affect thermal capacity. The specified ratings are for brakes mounted in a horizontal position with the solenoid plunger above the solenoid. For brakes mounted in a vertical position, or 15° or more from horizontal, the thermal capacity decreases due to friction disc drag. Brakes are modified for vertical operation to minimize the drag. 2- and 3- disc brakes are derated 25%, 4-disc brakes are derated 33%. 4- and 5-disc brakes are not recommended for vertical use.

Thermal capacity ratings are established without external sources of heat increasing the brake temperature. The surface that a brake is mounted to, such as an electric

motor or gear reducer, will limit the heat dissipation capability or thermal capacity of a brake. These sources of heat should be evaluated when determining the thermal requirements of the system for which the brake is selected.

High altitudes may also affect a brake's thermal capacity. Stearns brakes will operate to 10,000 ft above sea level at 72°F (22°C) ambient temperature. At 104°F (40°C) ambient temperature, altitude and temperature adjustments occur. Refer to *NEMA MG1-1993 Section 14 for additional information*.

**CHART: Altitude & Thermal Capacity**



**Maximum Energy Absorption**

The thermal capacity of a brake is limited by the maximum energy it can absorb in one stop. This factor is important when stopping extremely high inertial loads at infrequent intervals. Such use of a brake requires extensive cooling time before it can be operated again.

The energy a brake is required to absorb in one stop by a given power transmission system is determined by the formulas below. *The calculated energy of the system should not exceed the maximum kinetic energy rating of the brake. System energy exceeding the brake's maximum rating may result in overheating of the brake to a point where torque falls appreciably. The friction material of the brake could glaze, carbonize or fail.*

In the case of linear loads, the energy that the brake must absorb is kinetic energy. It is determined by the formula:

$$KE_l = \frac{Wv^2}{2g}$$

KE<sub>l</sub> = Kinetic energy of linear moving load, lb-ft

W = Weight of load, lb

v = Linear velocity of load, ft/sec

g = Gravitational acceleration constant, 32.2 ft/sec<sup>2</sup>

In the case of rotational loads, the energy that the brake must absorb is also kinetic energy. It is determined by the formula:

$$KE_r = \frac{Wk^2 \times N_B^2}{5875}$$

Where, KE<sub>r</sub> = Kinetic energy of linear load, lb-ft

Wk<sup>2</sup> = Inertia of the rotating load reflected to brake shaft, lb-ft<sup>2</sup>

N<sub>B</sub> = Shaft speed at brake, rpm

5875 = Constant

In the case of overhauling loads, both the kinetic energy of the linear and rotating loads and the potential energy transformed into kinetic energy by the change in height or position must be considered when determining the total energy that the brake must absorb. The potential energy transformed to kinetic energy is determined by the formula:

$$PE = Ws$$

Where, PE = Change in potential energy, ft-lb

W = Weight of overhauling load, lb

s = Distance load travels, ft

Thus, the total energy to be absorbed by a brake stopping an overhauling load is:

$$E_T = KE_l + KE_r + PE$$

Example 10 illustrates how energy absorption for Example 8 would be determined for one stop.

**Example 10:** Determine the total energy absorbed by a brake in one stop.

In Example 8, the calculation for total energy to be absorbed would be as follows.

First, calculate the kinetic energy of the linear load. The load weight was 4,940 lb and the velocity is 19 ft/min or 0.317 ft/sec. The kinetic energy is:

$$KE_l = \frac{Wv^2}{2g} = \frac{4,940 \times 0.317^2}{2 \times 32.2}$$

$$KE_l = 7.71 \text{ ft-lb}$$

Next, calculate the kinetic energy for the rotational load. The motor inertia is 0.65 lb-ft<sup>2</sup> and the drum inertia reflected to the brake shaft speed is 0.0067 lb-ft<sup>2</sup>. The total rotational inertia at the brakemotor shaft is,

$$\begin{aligned} Wk_r^2 &= Wk_m^2 + Wk_d^2 \\ &= 0.65 + 0.0067 \\ Wk_r^2 &= 0.6567 \text{ lb-ft}^2 \end{aligned}$$

And the kinetic energy of the rotating components is,

$$\begin{aligned} KE_r &= \frac{Wk_r^2 \times N_B^2}{5,875} \\ &= \frac{0.6567 \times 1,150^2}{5,875} \\ KE_r &= 147.8 \text{ ft-lb} \end{aligned}$$

Now, calculate the potential energy converted to kinetic energy due to the change in position of the load while descending. A descending load is the most severe case since potential energy is transformed to kinetic energy that the brake must absorb. A 25 lb-ft brake was selected in Example 8. The 25 lb-ft static torque rating is converted to dynamic torque,

$$\begin{aligned} T_d &= T_s \times 0.8 \\ &= 25 \times 0.8 \\ T_d &= 20 \text{ lb-ft} \end{aligned}$$

Of this torque, 13.0 lb-ft is required to overcome the overhauling load as determined in Example 8. The dynamic torque available to decelerate the load is,

$$\begin{aligned} T_d &= T_l - T_m \\ &= 20 - 13 \\ T_d &= 7 \text{ lb-ft} \end{aligned}$$

The stopping time resulting from this dynamic torque is,

$$\begin{aligned} t &= \frac{Wk_r^2 \times N_M}{308 \times T_d} \\ &= \frac{0.691 \times 1,150}{308 \times 7} \\ t &= 0.369 \text{ sec} \end{aligned}$$

Where,  $Wk_r^2 = 0.690 \text{ lb-ft}^2$  is the total

inertia the brake is to retard as determined in Example 8. With the load traveling at 19.0 ft/min or 0.317 ft/sec, the distance it will travel is,

$$\begin{aligned} s &= \frac{1}{2} vt \\ &= \frac{1}{2} \times 0.317 \times 0.369 \\ s &= 0.059 \text{ lb-ft} \end{aligned}$$

Wire the brake through a dedicated relay on overhauling loads where stop time or distance is critical. The potential energy transformed to kinetic energy in this distance would be,

$$\begin{aligned} PE &= W_s \\ &= 4,940 \times 0.059 \\ PE &= 291 \text{ ft-lb} \end{aligned}$$

Thus, the total energy to be absorbed by the brake would be,

$$\begin{aligned} E_T &= KE_r + KE_l + PE \\ &= 7.71 + 147.8 + 291 \\ E_T &= 447 \text{ ft-lb} \end{aligned}$$

The 25 lb-ft brake selected in Example 8 should be capable of absorbing 447 ft-lb of energy. The brake's maximum kinetic energy absorption rating should exceed this value.

Motor slip and test loads (150% of load) should be considered both in sizing and thermal calculations.

Brakes overheated in testing will require inspection before using in the standard application.

### Heat dissipation in cyclic applications

In general, a brake will repetitively stop a load at the duty cycle that a standard electric motor can repetitively start the load. A brake's thermal capacity is based upon the heat it can absorb and dissipate while cycling. The thermal capacity ratings for brakes are listed in the specification tables for specific brake models.

The energy that a brake is required to absorb and dissipate by a given power transmission system is determined from the total inertia of the load and system, the rotating or linear speed of the load, and the number of times the load is to be stopped in a given time period. The rate of energy dissipation is expressed in horsepower seconds per minute (hp-sec/min). Other common units for energy rates, such as foot pounds per second (ft-lb/sec), can be converted to hp-sec/min using the conversion factors given in the *Technical Data* section.

Refer to the Thermal Capacity Chart for use above 104°F (40°C) ambient temperature.

For applications demanding optimum brake performance, such as high inertial loads and frequent stops, the rate of energy dissipation required by the system is determined using the following formulas. *The calculated rate of energy dissipation should not exceed the thermal capacity of the brake. Thermal dissipation*

*requirements exceeding the brake's rating may result in overheating of the brake to a point where torque falls appreciably. The friction material of the brake could glaze, carbonize or fail.*

For rotating or linear loads, the rate at which a brake is required to absorb and dissipate heat when frequently cycled is determined by the relationship:

$$TC = \frac{Wk_r^2 \times N_B^2 \times n}{3.2 \times 10^6}$$

Where, TC = Thermal capacity required for rotating or linear loads  
hp-sec/min

$Wk_r^2$  = Total system inertia reflected to brake, lb-ft<sup>2</sup>

$N_B$  = Shaft speed at brake, rpm

$n$  = Number of stops per minute, not less than 1

$3.2 \times 10^6$  = Constant

The rotating speed enters the formula as a squared function. Therefore, thermal requirements are of particular significance in systems where the brake will be operated at high speeds.

$$TC = \frac{E_T \times n}{550}$$

Where, TC = Thermal capacity required for overhauling loads  
hp-sec/min

$E_T$  = Total energy brake absorbs, ft-lb

$n$  = Number of stops per minute, not less than 1

550 = Constant

For overhauling loads, the rate at which a brake is required to absorb and dissipate heat when frequently cycled is determined by the relationship:

Example 11 illustrates how the required thermal capacity would be determined for Example 4.

**Example 11:** Determine the thermal capacity required to stop a rotating load frequently.

Referring back to Example 4, the flywheel will be stopped 20 times per minute. The required thermal capacity of the 6 lb-ft brake selected in this example is determined as follows.

The total inertial load the brake is to retard is 0.15 lb-ft<sup>2</sup>. The shaft speed of the brake motor is 1,800 rpm. Therefore, the required thermal capacity is,

$$\begin{aligned} TC &= \frac{Wk_r^2 \times N_B^2 \times n}{3.2 \times 10^6} \\ &= \frac{0.15 \times 1,800^2 \times 20}{3.2 \times 10^6} \end{aligned}$$

TC = 3.0 hp-sec/min

The 6 lb-ft brake selected in Example 4 should have a thermal capacity rating equal to or greater than 3.0 hp-sec/min.

A brake with greater thermal capacity will result in greater wear life.

If productivity is to be improved in Example 4 by increasing the cycle rate, the maximum number of stops per minute is determined by the rated thermal capacity of the brake. If the 6 lb-ft brake selected in Example 4 has rated thermal capacity of 9 hp-sec/min, the maximum permissible stops per minute would be determined by transposing the above formula to,

$$\begin{aligned} n_{\max} &= \frac{TC_{\text{rated}} \times (3.2 \times 10^6)}{Wk_f^2 \times N_{II}^2} \\ &= \frac{9 \times (3.2 \times 10^6)}{0.15 \times 1,800^2} \\ n_{\max} &= 59 \text{ stops/min} \end{aligned}$$

So, the brake could be operated up to 36 times per minute without exceeding its ability to absorb and dissipate the heat generated by the frequent stops and meet the maximum solenoid cycle rating. *Cycle rate cannot exceed the solenoid cycle rate appearing in the catalog.*

## Electrical Considerations

Please see page 119.

## Environmental Considerations

Brakes with standard open enclosures when mounted on NEMA C-face motors are drip-proof, except where a manual release lever has a clearance opening in the housing. The standard enclosure is commonly used on open, drip-proof and enclosed motors operating indoors or in protected outdoor environments.

NEMA 4, IP 54 enclosures are available on most brake models and are commonly used for outdoor installations, or where there are moist, abrasive or dusty environments. Standard and severe duty NEMA 4 enclosures are available in some brake series.

Brakes of various styles and materials for above or below deck on ships and dockside installation are available. The materials are usually specified by the ship designers or Navy specification MIL-B-16392C. Brakes are also available to meet MIL-E-17807B for shipboard weapon and cargo elevators. Refer to *Marine, Maritime and Navy Catalog* pages.

Brakes Listed by Underwriters Laboratories, Inc. are available for use in hazardous locations, including Class I, Groups C and D; and Class II, Groups E, F and G. *Motor-mounted*, hazardous-location electric disc brakes are listed only when mounted to a Listed hazardous-location motor of the same Class and Group at the motor manufacturer's facility, and where the combination has been accepted by UL. This procedure completes the hazardous duty assembly of the brake. However, foot-mounted hazardous-location disc brakes that are Listed are also available for coupling to a motor, and may be installed by anyone.

Hazardous-location brakes are *not* gasketed unless indicated in the brake description. The enclosure prevents flame propagation to the outside atmosphere through controlled clearances. Protection from weather and washdowns must be provided. If the brake is used in a high humidity or low temperature environment, internal electric heaters should be used.

Standard ambient temperature range for brake operation is from 20°F (-7°C) to 104°F (40°C). Refer to *Thermal Ratings* section for brake operation at higher ambient temperatures. Heaters may be available for brake operation at low ambient temperatures and high humidity environments. Ductile iron construction and heaters are recommended for prolonged cold climate use.

## Conclusion

The spring-set, electrically released disc brake is an important accessory to electric motors used in cycling and holding operations. It is available in a wide variety of enclosures. In most applications, a brake requires no additional wiring, controls or auxiliary electrical equipment. It is simple to maintain since the replaceable items, the friction discs, can be easily changed.

Many spring-set motor brakes are equipped with features such as simple wear adjustment to provide optimum friction disc life, visual wear indicator, torque adjustment and manual release. Featured on some types of brakes is automatic adjustment to compensate for friction disc wear. This feature eliminates the need for periodic adjustment and is advantageous in remote or inaccessible locations. Not all of the brakes on the market provide all of these features, but there are many Stearns motor brakes offering these features.

Care should be exercised in properly selecting a brake giving due consideration to torque as well as environment and thermal requirements. On applications where all the pertinent information is not available, selection must be based on previous experience of the designer and user, as well as the brake manufacturer, and should be confirmed by tests under actual operating conditions. If the brake is selected with reasonable allowances made for extremes in operating conditions, it will perform its task with little attention or maintenance.

# Formulas

The following formulas cover the basic calculations used in brake application engineering.

Required	Given	Formula
Full load motor torque ( $T_{flmt}$ ), lb-ft	Horsepower (P), hp Shaft speed (N), rpm 5252 = Constant	$T_{flmt} = \frac{5252 \times P}{N}$
Average dynamic braking torque ( $T_d$ ), lb-ft	Total inertia reflected to brake ( $Wk^2$ ), lb-ft <sup>2</sup> Shaft speed at brake (N), rpm Desired stopping time (t), seconds 308 = Constant	$T_d = \frac{Wk^2 \times N}{308 \times T}$
Static torque (T), lb-ft	Force (F), lb Pulley or drum radius, (R), ft	$T = F \times R$
Overhauling dynamic torque reflected to brake shaft ( $T_o$ ), lb-ft	Weight of overhauling load (W), lb Linear velocity of descending load (V), ft/min Shaft speed at brake (N), rpm 0.158 = Constant	$T_o = \frac{0.158 \times W \times V}{N}$
Static torque of brake ( $T_s$ ), lb-ft (General Guideline)	Dynamic braking torque required ( $T_d$ ), lb-ft 0.8 = Constant (derating factor)	$T_s = \frac{T_d}{0.8}$
Inertia of rotating load reflected to brake shaft ( $Wk_b^2$ ), lb-ft <sup>2</sup>	Inertia of rotating load ( $Wk_L^2$ ), lb-ft <sup>2</sup> Shaft speed at load ( $N_L$ ), rpm Shaft speed at brake ( $N_B$ ), rpm	Equivalent $Wk_b^2 = Wk_L^2 \left( \frac{N_L}{N_B} \right)^2$
Equivalent inertia of linear moving load reflected to brake shaft ( $Wk_w^2$ ), lb-ft <sup>2</sup>	Weight of linear moving load (W), lb Linear velocity of load (V), ft/min Shaft speed at brake ( $N_B$ ), rpm 2 = Constant	Equivalent $Wk_w^2 = W \left( \frac{V}{2\pi N_B} \right)^2$
Kinetic energy of rotating load, ( $KE_r$ ), ft-lb	Inertia of rotating load reflected to brake shaft ( $Wk_b^2$ ), lb-ft <sup>2</sup> Shaft speed at brake ( $N_B$ ), rpm 5875 = Constant	$KE_r = \frac{Wk_b^2 \times N_B^2}{5875}$
Kinetic energy of linear moving load ( $KE_l$ ), ft-lb	Weight of load (W), lb Linear velocity of load (v), ft/sec g = Gravitational acceleration constant, 32.2 ft/sec <sup>2</sup>	$KE_l = \frac{Wv^2}{2g}$
Change in potential energy (PE), ft-lb	Weight of overhauling load (W), lb Distance load travels (s), ft	$PE = Ws$
Total energy absorbed by brake ( $E_T$ ), ft-lb	Total linear kinetic energy, ( $KE_L$ ), ft-lb Total rotary kinetic energy ( $KE_R$ ), ft-lb Potential energy converted to kinetic energy (PE), ft-lb	$E_T = KE_L + KE_R + PE$
Thermal capacity required for rotational or linear moving loads (TC), hp-sec/min	Total system inertia reflected to brake shaft ( $Wk_T^2$ ), lb-ft <sup>2</sup> Shaft speed at brake ( $N_B$ ), rpm Number of stops per minute (n), not less than one $3.2 \times 10^6 = \text{Constant}$	$TC = \frac{Wk_T^2 \times N_B^2 \times n}{3.2 \times 10^6}$
Thermal capacity required for overhauling loads (TC), hp-sec/min	Total energy brake absorbs ( $E_T$ ), ft-lb Number of stops per minute (n), not less than one 550 = Constant	$TC = \frac{E_T \times n}{550}$
Linear velocity, ft/min	N = rpm Diameter (D), ft	$V = N\pi D$